

# Coal Mining and Reclamation Permit Incidental Boundary Revision (IBR)

Issued To: American energy corp

43521 Mayhugh Hill Rd.

Two Kwy 88

Beallsville, OH 43716

Telephono: (740) 926-9152

Permit Number: D-425

Application Number: IBR-425-19

Acreage: 4.00

Effective: 05/27/2010

Expires: 10/21/2014

Type of Operation: Underground (Longwall)

Reason: Airshaft

### LOCATION OF PERMIT AREA

NAME OF LANDOWNERS	7	R	SECTION	LOTS	TOWNSHIP	COUNTY
Nelson G. Lindsey	5	4	26		WASHINGTON	BELMONT

The issuance of this IBR means only that the application to conduct a coal mining operation meets the requirements of Chapter 1513 of the Revised Code, and as such DOES NOT RELIEVE the operator of any obligation to meet other federal, state or local requirements.

This IBR is issued in accordance with and subject to the provisions, conditions, and limitations of Chapter 1513 of the Revised Code and Chapters 1501:13-1, 1501:13-3 through 1501:13-14 of the Administrative Code.

The approved water monitoring plan for this IBR is:

Quality: N/A Quantity: NA

Note: Any previous condition(s) imposed on this permit, or subsequent adjacent areas, also apply to

this IBR unless noted otherwise.

Signature:

Chief, Mineral Resources Management

Data: 05/27/2010

F101 Rev: 07/01/2001

R30 Rev. 9/99

### Ohio Department of Natural Resources Division of Mineral Resources Management 2045 Morse Rd., Bldg. H-2 Columbus, OH 43229-6693

Columbu	3, 31, 13227 0070
AMERICAN ENERGY CORP 43521 Mayhugh Hill Rd. Twp Hwy 88 Beallsville, OH 43716	InvoiceNo: 10234 Invoice Date: 05/24/2010 Print Date: 05/24/2010 Permit Type: C Permit Law: D No: 425 Orig. App. No.: 277
Re: Request for Bonds and Fees  Dear Sir/Madam:	SURETY BOND as PERFORMANCE SECURIT  A surety bond requires an attached
The following action has been approved or completed	Power of Attorney as well as a Certificate
Bond and fees in the amounts shown below are due bet form of Surety Bond, Cash Bond, Certificate of Depos	fore the application can be issued. Bond may be in the
The fees and bond should be paid to the Division of M the date shown above and should reference the given it be payable to the State of Ohio and sent to my attention	ineral Resources Management within thirty(30) days from avoice number to insure proper credit. All checks should at the above address.
Bond Amount	Fee Amount
$4.00 \text{ x} \qquad \$2,500.00 = \qquad \$10,000.00$	
10000 Amount Paid: \$0.00	Amount Paid: \$0.00
<b>Bond Due:</b> \$10,000.00	Fees Due: \$0.00

If you have any questions concerning this billing, please contact me at (614) 265-1050

Sincerely,

Tom Frison

Division of Mineral Resources Management

cc: File

CAMBRIDGE

THIS INVOICE MUST BE RETURNED WITH YOUR PAYMENT

# Ohio Department of Natural Resources

The state of the s

TED STRICKLAND, GOVERNOR

SEAN LOGAN DIRECTOR

**Division of Mineral Resources Management** 

John F. Husted, Chief 2050 E. Wheeling Avenue

Cambridge, OH 43725-2159 Phone: (740)439-9079 Fax: (740)432-7711

Date: 05/27/2010

To: Appropriate Governmental Agencies

From: John Husted, Chief

Division of Mineral Resources Management

Re: Coal Mine Application Number: IBR-425-19

Coal Mine Permit Number: D-425

Mine Name: Century
Date Issued: 05/27/2010

Applicant: AMERICAN ENERGY CORP

43521 Mayhugh Hill Rd.

Twp Hwy 88

Beallsville, OH 43716

Telephone: (740) 926-9152

Permit Location:

COUNTY	TOWNSHIP	SECTION	LOTS	T	R	Quad
BELMONT	WASHINGTON	26		5	4	ARMSTRONG MILLS

# Surface Acres: 4 Underground Acres:

The Division of Mineral Resources Management has issued a coal mining and reclamation permit Incidental Boundary Revision (IBR) to the above named applicant. The permit number and date of issuance is shown above.

The approved water monitoring plan for this permit's IBR is:

F65 Rev: 07/01/2001

#### **Distribution List:**

Division of Wildlife

Attn: John Navarro, Environmental Section Supervisor

2045 Morse Road, Bldg. G-3 Columbus, OH 43229-6693

Office of Surface Mining 4605 Morse Road

Room 102

Columbus, OH 43230

U.S. Fish & Wildlife Service Attn: Mary Knapp, Ph. D. 4625 Morse Rd Suite 104

Columbus, OH 43230

Ohio Historical Preservation Office 567 East Hudson Street Columbus, OH 43211-1030

MSHA

50985 National Road

St. Clairsville, OH 43950

Michael Eggert
Ohio EPA, Division of Drinking & Groundwater

50 West Town Street, Suite 700 P.O. Box 1049

Columbus, OH 43216-1049

Debbie Woischke

Division of Natural Areas & Preserves 2045 Morse Road, Bldg. F-1

Columbus, OH 43229-6693

Blaine Gerdes

Division of Soil & Water Conservation

2045 Morse Road, Bldg. B-3

Columbus, OH 43229-6693

Christopher A. Davis

Columbia Gas Transmission

Route 2

P.O. Box 138

Sandyville, WV 25275

Lanny Erdos

Division of Mineral Resources Management

2050 East Wheeling Avenue

Cambridge, OH 43725

Bruce Goff

Ohio EPA, Southeast District Office

2195 Front Street

Logan, OH 43138

F65 Rev: 07/01/2001

**Belmont County Commissioners** 

Courthouse

Main Street

St. Clairsville, OH 43950

Belmont County Planning Commission

Courthouse

Main Street

St. Clairsville, OH 43950

Washington Township Trustees

c/o Loretta Goddard, Fiscal Officer

46540 E. Captina Hwy. Alledonia, OH 43902

Mike Kosek

Division of Mineral Resources Management

2050 East Wheeling Avenue

Cambridge, OH 43725

IBA- 425-19

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

# APPLICATION FOR INCIDENTAL BOUNDARY REVISION (IBR) (This form cannot be utilized for the removal of coal)

	Applicant's Name: American Energy Corporation
۱.	<del></del>
2.	Address: 43521 Mayhugh Hill Road
	City, State, Zip: Beallsville, Ohio 43716
	Telephone: 740-926-9152
3.	Coal Mining Permit Number: D-0425 Mine Name Century Mine
4.	Additional acres to be permitted: 4.0 MSHA # 33-01070
5.	Acres to be deleted N/A
6.	Has this acreage been affected under this permit?
	Yes, No If "yes," list violation number(s).
	Has this acreage previously been affected by other activities other than this permit?
	☐ Yes, ☒ No If "yes," describe:
7.	Describe the reason this additional acreage is required.
,.	Drill a ventilation air shaft for Century Mine, Permit D-0425, underground mine.
	Dilli & Foliament an energy of the state of
8.	Describe the activities to be conducted on this area.
О.	Construction of shaft pad, diversion ditches, construction sump, electric sub-
	station, removing and stockpiling topsoil. See Addendum to Item 8.
	removing and stockpilling topsolit dee Addendari to them of

MAY 3 0 2010

Revised 05/07 DNR-744-9005

COMMON

7112-042:-19

# Addendum to Item 8. Construction/Operation Plans American Energy Corporation

The shaft will be drilled within the limits of the proposed I.B.R. at the location shown on the I.B.R. Map and on Sheet C1, Site Grading Plan. The shaft will have an inside diameter of 8 feet and will be constructed to a final surface elevation of 1305.00 feet. The shaft will be drilled to an approximate depth of 635 feet into the Pittsburgh #8 coal seam.

Site development will include construction of a construction sump, drainage ditches and sumps, drill pad, and an electric substation.

Equipment used will include dozers, pans, farm tractor, seed drill, and mulch spreaders.

Construction will begin by removing topsoil and stockpiling it at the location shown on the I.B.R. Map and the Site Grading Plan. The stockpile will be seeded and mulched immediately to prevent erosion. Stockpiled topsoil will not be disturbed or removed until required for re-soiling. Drainage controls and drill pad construction will then take place. Silt fences will be installed as shown on Sheet C1. Diversion ditches will be cut to ensure that surface water runoff will drain away from the construction sump. Proper construction methods will be utilized to ensure that all slopes are stable. Disturbed areas will be seeded and mulched immediately following construction to prevent erosion.

The facility within the proposed I.B.R. limits will be maintained throughout the life of the mining operation. Maintenance of the construction and typical sumps will take place until such time they are removed. Periodic inspections of the sumps as well as the annual inspection of the construction sump will be made by a registered professional engineer or by a person under the direct supervision of a registered professional engineer.

The construction sump will be maintained by company personnel while being utilized during drilling operations and throughout the life of the mine. The sump will only handle water and tailings resulting from the shaft drilling, it is not intended for use as a sediment control for the site and is not designed to discharge. All surface flow will be diverted away from the construction sump.

MAY 1 0 2010

# 9. List all surface and mineral owners within the IBR area.

	County	Township	Section	Lot	T-	T R-
Surface and Mineral Owner Names						
Name Nelson G. Lindsey	Belmont	   Washington	26	N/A	5	4
Address P.O. Box 34			1 44.5	58.63		ার্ক
City Alledonia						İ
State <b>Ohio</b> Zip <b>43902</b>					ļ	1
Surface 🛭 Mineral 🖾					<u> </u>	
Name Consolidated Land Co.	Belmont	Washington	26	N/A	5	4
Address 29325 Chagrin Blvd.	radio kamenda in in est		- <del> </del>	Part (C)	<b></b>	ਬਾ 
City Pepper Pike						
State OH Zip 44122						ĺ
Surface Mineral						
e tarres	Mark Carlo	人。 "有效有益效 取及现代 由于 计 4 分类 日本生产			en en la la Republica	
Name	Bart Carlotte	他式逐點開發 新沙	675 P. 23666	eses delli	er Pressite Doued	Dishartig
Address						
City Communication — the communication is a second control of the communication of the commun						
State Zip						
Surface Mineral						
ा कर स्थानपुर्वाप				31057324		
Name Name		。 。 。 。 。 。 。 。 。 。 。 。 。 。 。 。 。 。 。	. Specification	PACHITE ANTIMER	and the second second	- 17 4 47 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Address						
City						
State Zip Surface Mineral						
Surface [33] Willieral [33]						
Name 🚉			· 1		9. <b>9</b> 4	5.447
Address Address						
City						
State Zip						
Surface Mineral						
Carrace Mainteral 1:31						j

Application for an Incidental Boundary Revision Revised 02/06 DNR-744-9005

)	10.	Is any owner, holder or purchaser listed in item 9, a business entity other than a single proprietorship?
		Yes No If "yes," submit Other Business Entities. See attached
		Other Business Entities.
	11.	Is any part of this IBR application area adjacent (within 100') to any lands, which are not owned by those persons identified in item 9?
		Yes No If "yes," submit Adjacent Owners See attached
		Adjacent Owners.
	12.	Identify the right of entry documentation that is being provided that allows for coal mining operations on this IBR area:
		A copy of the right-of-entry documents attached as addenda, or
		A Right-of-Entry Affidavit
		See addendum to IBR, Item 12 - Valid Existing Rights
	13.	Has the private mineral estate (coal) been severed from the private surface estate?
		Yes No If "yes," indicate which documentation is provided:
		See addendum to IBR, Item 12 - Mining Rights Summary
		Surface Owners' Consent
		☑ A copy of the document of conveyance that allows the proposed activities
		☐ If the document of conveyance does not expressly allow the proposed activities, documentation that under state law the applicant has the legal authority to conduct the proposed activities.
	14.	Does the IBR application area include any area dedicated as a nature preserve pursuant to Chapter 1517 Ohio Revised Code?
		Yes
~	15.	Does the IBR application area include any area within one thousand feet of the waterlines of any wild, scenic or recreational river dedicated pursuant to Chapter 1501 Ohio Revised Code?
,	Revis	ication for an Incidental Boundary Revision sed 02/06 -744-9005

Page 3 of 8

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

## **OTHER BUSINESS ENTITIES**

Applicant's Name American Energy Corporation

A separate attachment is to be submitted for each business entity.

Name of business entity Consolidated Land Company

Statutory agent Stephen C. Ellis #842696

Street Address 925 Euclid Avenue, Suite 1100

City Cleveland State Oh Zip 44115

Person's name Robert D. Moore Position President

Street Address 29325 Chagrin Blvd., Suite 300

City Pepper Pike State Oh Zip 44122

Person's name Michael O. McKown Position Secretary

Street Address 29325 Chagrin Blvd., Suite 300

City Pepper Pike State On Zip 44115

Person's name Robert D. Moore Position Treasurer and Assistant Secretary

Street Address 29325 Chagrin Blvd., Suite 300

City Pepper Pike State On Zip 44115

Person's name Position

Street Address

City State Zip

Part 1: Section C

Revised 02/06 DNR-744-9012

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

# **ADJACENT OWNERS**

Applican	t's Name <b>A</b> ı	merican Energy Corporation
Name of	owner Ira (	D. and Katherine L. Lepley
Address	12756 War	wick Road
City Man	shallville S	tate <b>OH</b> Zip <b>44645</b>
⊠ Surfa	ce, 🗌 Coal	, ⊠ Non-Coal Mineral
Name of	owner Wilf	red K. and Linda C. Perkins
Address	54451 Pug	h Ridge Road
City Alle	donia State	OH Zip 43902
⊠ Surfa	ce, 🗌 Coal	, 🔀 Non-Coal Mineral
Name of	owner Virg	inia M. Knotts
Address	46509 <b>M</b> air	n Street
City Jac	o <b>bsburg</b> Sta	ate <b>OH</b> Zip <b>43933</b>
⊠ Surfa	ce, 🗌 Coal	, 🔀 Non-Coal Mineral
Name of	owner <b>Joh</b> r	n E. & Johanna F. Thomas
Address	45601 Oak	Ridge Road
City Alle	donia State	OH Zip 43902
⊠ Surfa	ce, 🗌 Coal	, ⊠ Non-Coal Mineral
Name of	owner	
Address		
City	State	<i>7</i> in

Part 1: Section C

Revised 02/06 DNR-744-9013

# **OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT**

## **RIGHT-OF-ENTRY AFFIDAVIT**

Applicant's Name American Energy Corporation

## **RIGHT-OF-ENTRY AFFIDAVIT**

State of Ohio, Belmont County, ss. James R. Turner, Jr. being first duly sworn, says that the following described documents convey to the applicant the legal right explained below and is a subject of litigation as shown below.

Type of document

Lease

Execution Date August 20, 2008

Expiration Date Until such time as said easement is no longer necessary. in the opinion of the company, its successors and assigns, for the operation of its coal mining operation, and all equipment has been removed from the property and site has been reclaimed.

Parties: From

Nelson G. Lindsey to American Energy Corporation

Description of land: Number of Acres 48.2

County Belmont

Township Washington

Section 26

Lot

Explanation of legal rights claimed See Addendum to Right-of-Entry Affidavit Mining Rights Summary

Pending litigation Yes

Signature of Affiant

Position

Sworn to before me and subscribed in my presence this

, 20*09* 

KATHY J. ROE

Notary Public, State of Ohio

Commission Expires Dec. 14, 2009

Part 1: Section C

02/06 DNR-744-9060

# VOLO 163 PAGE 491

Instrument 200800006293

# **MEMORANDUM OF AGREEMENT**

200800006293
Filed for Record in .
BELMONT COUNTY, OHIO
MARY CATHERINE NIXON
08-26-2008 At 09:11 um.
AGREE LEASE 28.00
OR Book 163 Pase 491 - 492

BETWEEN

NELSON G. LINDSEY, single, of 55495 Alledonia Crabapple Road, Alledonia, Ohio 43902, hereinafter called "Landowner",

AND

AMERICAN ENERGY CORPORATION, an Ohio corporation, of 43521 Mayhugh Hill Road, Twp. Road 88, Beallsville, Ohio 43716, hereinafter called "Company".

#### WITNESSETH:

WHEREAS, by a certain Agreement, made and entered into August 197, 2008, Landowner did grant to Company, tracts or parcels of land, which are situated in Section 26, Township 5 North, Range 4 West, Washington Township, Belmont County, Ohio, containg 48.2 acres, more or less, as more particularly described in a certain Certificate of Transfer dated November 30, 2001 and recorded on December 10, 2001 in Volume 773, Page 102, of the Belmont County Deed Records.

WHEREAS, in lieu of recording said Agreement, the parties hereto have executed and acknowledged and desire to place on record this Memorandum of Agreement.

LESSOR: Nelson G. Lindsey

55495 Alledonia Crabapple Road

Alledonia, OH 43902

LESSEE: American Energy Corporation

43521 Mayhugh Hill Road Twp. Road 88

Beallsville, OH 43716

DATE OF AGREEMENT: August 19, 2008

LEASED PREMISES: Easement upon, through, under, and over those certain tracts or parcels of land in Washington Township, Belmont County, Ohio described in Volume 773, Page 102, of the Belmont County Deed Records.

TERM: Agreement commenced on August 19, 2008, and shall continue in force and effect until, in the opinion of the Company, perpetual easement is no longer necessary for the operation of its coal mining operation, and all equipment has been removed from the property and the site

WITNESS the due execution hereof as of the day and year first above written.

Mr. 01/1

LANDOWNER

Name:

WITNESS

AMERICAN ENERGY CORPORATION

TURNER JA

Name:

Name: AME

Title: TREASUR ER

# ACKNOWLEDGEMENT

STATE OF OHIO
COUNTY OF BELMONT
On this day of before me, a Notary Public, personally appeared before me, a Notary Public, known to me to be the person (s) described in the within and foregoing instrument, and who acknowledged to me that he (they) executed the same for the purpose therein set forth.
IN WITNESS WHEREOF, I hereunto set my hand and official seal.
JULIE WEBB  Notary Public, State of Ohio  Notary Public State of Ohio  Notary Public  Notary Public
ACKNOWLEDGEMENT
STATE OF OHIO
COUNTY OF Relmont
On this 25th day of 4 bour 2008 before me, a Notary Public, personally appeared 2 Torones who acknowledged themselves to be the Treasurer of American Energy Corporation, and that as such officers being duly authorized to do so, executed the foregoing instrument on behalf of such corporation for the purposes therein contained.
IN WITNESS WHEREOF, I hereunto set my hand and official seal.
Notary Public
DENISE B. DIERKES Notary Public, State of Ohio My Commission Expires May 22, 2008

This instrument was prepared by American Energy Corporation

200800006293 AMERICAN ENERGY CORPORATION 43521 MAYHUGH HILL ROAD TUP ROAD 88 BEALLSVILLE DH 43716

# OHIO DEPARTMENT OF NATURAL RESOURCES **DIVISION OF MINERAL RESOURCES MANAGEMENT**

## RIGHT-OF-ENTRY AFFIDAVIT

Applicant's Name American Energy Corporation

# **RIGHT-OF-ENTRY AFFIDAVIT**

says that the following described documents convey to the applicant the legal

State of Ohio, Belmont County, ss. James R. Turner, Jr. being first duly sworn, right explained below and is a subject of litigation as shown below. Type of document Lease Execution Date February 1, 2002 Expiration Date Until all mineable and merchantable coal has been depleted Parties: From Consolidated Land Company to American Energy Corporation Description of land: Number of Acres 90.5 County Belmont Township Washington Section 20 and 26 Lot May Explanation of legal rights claimed See Addendum to Right-of-Entry Affidavit Pending litigation Yes Sworn to before me and subscribed in my presence this 19™ 2009 Jean M. Snyder Part 1: Section C Notary Public, State of Ohlo

My Commission Expires 3 - 27-12

02/06 DNR-744-9060

( )

PAID 3134-

11787

VOL 707 PAGE 1

# LIMITED WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS: THAT, WYOMING POCAHONTAS LAND CO., (fka Youghiogheny and Ohio Coal Company) an Ohio corporation, with office at 39 Robin Place, Beckley, WV 25801, hereinafter called "GRANTOR", in consideration of the sum of Ten Dollars (\$10) and other valuable considerations to it paid by Consolidated Land Company, an Ohio corporation, whose tax mailing address is Box 505, 34208 Aurora Road, Solon, Ohio 44139, hereinafter called "GRANTEE", the receipt and sufficiency of which are hereby acknowledged, does hereby GRANT, BARGAIN, SELL AND CONVEY with limited warranty covenants, to the Grantee, its successors and assigns, all of the remaining coal contained in or underlying the tracts of land more particularly described on Exhibit "A", attached hereto and made a part hereof.

TOGETHER with such mining rights and other rights and privileges pertinent to the tracts set forth on Exhibit "A".

(HEREINAFTER CALLED THE "Premises").

The Grantor makes no guarantee or warranty with respect to the quality or quantity of coal remaining in said premises herein conveyed and Grantee accepts said premises known as the Allison Mine in its present condition and circumstance.

TO HAVE AND TO HOLD such premises, unto the said Grantee, its successors and assigns, forever, EXCEPT AND SUBJECT as hereinbefore provided, and expressly SUBJECT to all legal highways, exceptions, reservations, conditions, servitudes, easements, rights, limitations and restriction shown by instrument of record.

AND the said Grantor hereby covenants with the said Grantee that said premises are free and clear from all encumbrances by, from or through the said Grantor, and except and subject as hereinbefore provided, and that the Grantor will warrant and defend the same to the Grantee, only as against the lawful claims

VOL 707 PAGE 2

and demands of all persons claiming by, through or under the said Grantor herein, but against none other.

All of the aforedescribed Parcels are conveyed SUBJECT TO:

- (1) All matters of record as of the 1st day of March, 1995, said matters of record include but are not limited to the provisions contained in the description hereinbefore set forth and the provisions contained in all prior conveyances of record;
- All liens for nondelinquent real property taxes and (2) All lie assessments;

IT is the intent of the Grantor herein to convey to the Grantee, its successors and assigns all of the Pittsburgh No. 8 coal and mining rights appurtenant thereto, situated in Belmont County, Ohio, of which the Grantor is seized at the date hereof.

IN WITNESS WHEREOF, Grantor has caused its name to be hereunto subscribed by its duly authorized officers, this all day of Fibruary, 1995.
signed and acknowledged WYOMING FOCAMONTAS LAND CO., an Ohio Corporation
Rama Blevins  Hubert Payne  Its President
David Dove By Lauri Slow
Daise & Stewart Lauren Slone Its Secretary  Lauren Joseph  Lauren Joseph
(NOTE: TYPE OR PRINT NAME OF WITNESSES UNDER EACH SIGNATURE)
COUNTY OF Rainia, ss:
on this the Ala day of lebouard, 1995, before me, the undersigned Notary Public, personally appeared Hubert Payne, who acknowledged himself to be President of Wyoming Pocahontas Land Co., an Ohio corporation, and that as such officer being authorized to do so, executed the foregoing instrument for the purposes therein contained by signing the name of the corporation as President.

IN WITNESS WHEREOF, I bereunto set my hand and Notarial

Notary Public
My Commission Expires:

seal.

STATE OF COUNTY 
# ADDENDUM TO INCIDENTAL BOUNDARY REVISION, ITEM 12

VOL 707 PAGE 523

rods; thence north 31 rods; thence southeast 31 rods to the place of beginning, containing One acre, more or less.

## PARCEL NO. 49 (58) - WASHINGTON TOWNSHIP

#### First Tract

The southeast Quarter of the southeast quarter of Section Thirtytwo (32), Township five (5), Range four (4), containing forty acres more or less.

#### Second Tract

The northeast quarter of the northeast quarter of Section thirty-one (31), Township and Range aforesaid, containing forty acres, more or less.

#### Third Tract

Situate in the southwest quarter of the southeast quarter of Section 32, and in the northwest quarter of the northeast quarter of Section 31, Township and Range aforesaid; bounded and described as follows: Beginning at the northeast corner of the southwest quarter of the southeast quarter of Section 32; thence west with the north boundary of said quarter quarter, 38 poles to a corner on the east side of a small run; thence down said run to its junction with a large run, and to a large sand rock in a small drain near the top of the first bank on the south side of said large run; thence in a straight line to a white oak tree on a line dividing the northwest quarter of the northeast quarter of Section 31, east and west in the center; thence east with said center line 12 poles to the center of the west boundary of the northeast quarter of the northeast quarter of said Section 31; thence north with said west boundary and with the west boundary of the southeast quarter of the place of beginning, containing Twenty acres, more or less.

#### Fourth Tract

Situate in the northwest corner of Section 25, Township and Range aforesaid, bounded and described as follows: Beginning for the same on the south bank of the right hand fork of Crabapple Creek and on the west boundary line of said Section; thence south with said line so far as will include one acre by running a line from the said Section line due east to the west bank of the left hand fork of said Crabapple Creek; thence down the said left hand fork to its junction with the right hand fork; thence up said right hand fork to the place of beginning, containing One Acre. And containing in all of said tracts, One Hundred and One (101) Acres, more or less; and being a part of the premises of which Jesse Taylor died seized.

# PARCEL NO. 50 (59) - WASHINGTON TOWNSHIP

Known as and being the southwest quarter of the southwest quarter of Section thirty-one (31), Township five (5), Range four (4); also the southwest quarter of the southwest quarter of Section thirty-one (31), Township Five (5), Range four (4), containing in all Bighty Acres, more or less.

#### PARCEL NO. 51 (60) - WASHINGTON TOWNSHIP

#### First Tract

Being a part of the west half of Section 20, Township 5, Range 4, and a part of the northeast quarter of Section 26, Township 5, Range 4; Beginning for the same at the northwest corner of said Section 20; thence south 25° east 265 poles; thence west 69 poles to a post planted in the run on the south boundary of said tract;

thence north 12½° west 50 poles to a small ironwood; thence north 30-3/4° west 63 poles to a White Walnut standing on the west boundary of said Section 20; thence with said section line north 37 poles; thence north 35½° west 40 poles to a stone; thence north 37° west 85.70 poles to a stone on the north boundary of said Section 26; thence east 74.60 poles to the place of beginning; containing Ninety (90) Acres and Eighty-six (86) Perches, more or less.

#### Second Tract

Being a part of the west half of Section 20, Township 5, Range 4, and a part of the east half of Section 26, Township 5, Range 4; Beginning for the same at the northwest corner of the east half of said Section 26; thence south 187.15 poles; thence east 40 poles; thence south 13.35 poles to a stone; thence east 40 poles to the east boundary of said Section 26; thence south 40 poles to a stone; thence east 43 poles to a post planted in the run; thence north 12½° west 57 poles to an Ironwood; thence north 30½° west 63 poles to a White Walnut on the west boundary of said Section 20; thence north 37 poles to a stone; thence north 35½° west 40 poles to a stone; thence north 37° west 85.70 poles to a stone on the north boundary of said Section 26; thence west 5.40 poles to the place of beginning; containing Ninety (90) Acres and Eighty (80) Perches, more or less.

EXCEPTING therefrom the following described tract, conveyed by Mathias Shipman to John Wright; beginning at a stone at the northwest corner of the east half of the northeast quarter of said Section 26; thence east 2 rods; thence south 32° east 27½ rods to a stone; thence South 45° west 25 rods to a stone; thence north 40 rods to the place of beginning; containing 2 acres and 33 perches, more or less.

EXCEPTING ALSO the following described tract, being a part of the east half of the southeast quarter of Section 26, and commencing for the same at a point in said east half quarter, 40 rods south of the north boundary and 14.55 rods west of the east boundary of said east half quarter section; thence west 25.45 rods; thence north 13.35 rods; thence west 40 rods to a stone planted; thence north 9/10 rods; thence east 60.36 rods; thence in a southerly direction 15.45 rods to the place of beginning; containing 3 acres, more or less.

#### Third Tract

Situated in the Township of Washington, County of Belmont and State of Ohio, and known as and being a part of the east half of the southeast quarter of Section 26, Township 5, Range 4, and beginning for the same at a point in the section line between Section 26 and Section 20, 61.81 rods south of the northeast corner of said half quarter section, and running thence north with said section line 21.81 rods to a point in said line 40 rods south of said northeast quarter corner; thence west 14.55 rods; thence in a straight line 26.22 rods to the place of beginning; containing 1 acre, more or less.

# PARCEL NO. 52 (63) - WAYNE TOWNSHIP

Known as and being all that part of the southeast quarter of the northwest quarter of Section 2, Township 6, Range 5, which lies east of the middle of Piney Creek, containing Ten (10) Acres, more or less.

#### PARCEL NO. 53 (64) - WAYNE TOWNSHIP

Being the north half of the northwest quarter of Section two (2), Township six (6), Range five (5), containing seventy-nine and one-half (79%) acres, more or less.

district of lands formerly for sale at Marietta, Ohio, containing 20 acres, more or less, and being the same lands conveyed by Martha Kirkbride to Ebenezer Taylor by deed dated July 1, 1849, and recorded in Volume 33, at page 444.

#### Fourth Tract

Being a part of the southwest quarter of the southeast quarter of Section 32, Township 5, Range 4, together with a part of the northwest quarter of the northwest quarter of Section 31, Township 5, Range 4; beginning for the same at the northwest corner of said southwest quarter of the southeast quarter of Section 32; thence east with the north boundary of said quarter 42 poles to a corner on the east side of a small run; thence down said run to its junction, with a larger run, and to a large sand rock in a small drain near the top of the first bank on the south side of said larger run; thence on a straight to a White Oak tree on the east and west line dividing in the center the said northwest quarter of the northeast quarter of Section 31; thence west with said center line 68 poles to a corner on the west boundary of said last mentioned quarter of quarter; thence north 120 poles to the place of beginning; containing 40 acres more or less.

#### PARCEL NO. 62 (82) - WAYNE TOWNSHIP

PARCELS NO. 62 THROUGH 71 LEFT INTENTIONALLY BLANK.

Said tracts of coal hereinabove described under the headings "PARCEL NO. 1" to "PARCEL NO. 71", inclusive, being the same tracts of coal respectively described under the headings "PARCEL NO. 1", to "PARCEL NO. 71" inclusive, in the deed from The Cleveland Trust Company, Trustee under the Last Will and Testament of William D. Rees, deceased, to S. H. Robbins, dated July 1st, 1918, recorded in Volume 218, Page 2 et seq. of the Deed Records of Belmont County, Ohio; which tracts of coal are respectively referred to under the headings "PARCEL NO. 1" to "PARCEL NO. 71", inclusive, in said deed from The Cleveland Trust Company, Trustee, to S. H. Robbins, as having been conveyed to Peter M. Hitchcock and William D. Rees from the various grantors therein respectively specified by date and by volume and page of record; to which deed from The Cleveland Trust Company, Trustee, to S. H. Robbins, and to each of which deeds from various grantors to Peter M. Hitchcock and William D. Rees, therein mentioned, reference is hereby made.

Together with all easements, options, rights and privileges described in, and granted by, said deed from The Cleveland Trust Company, Trustee, to S. H. Robbins, dated July 1st, 1918, under said headings, "PARCEL NO. 1" to "PARCEL NO. 71", inclusive, thereof, which easements, options, rights and privileges are therein defined as being those described in the respective deeds from the various grantors to Peter M. Hitchcock and William D. Rees, above referred to, and as being contained in said various deeds in form and language as follows:

"Together with the free and uninterrupted rights of way into, upon and under said described land, at such points, and in such manner as may be useful for the purpose of digging, draining and ventilating, and mining and removing said coal, together with the privilege of mining and removing through said described premises other coal belonging to said Grantees, their heirs and assigns, or which may hereafter be acquired, together with the right and privilege to make drains on the surface, and air holes, and change the same as the convenience of mining may require, together with all mining privileges on said surface or under it necessary for the removal of all of the Pittsburgh Vein underlying the same and neighboring properties now owned, or hereafter acquired by said Grantees, their heirs and assigns; and

MAR 1 7 2010

said Grantees, their heirs and assigns, shall in no wise be liable for damages for failure to support the overlying surface, or for the sinking or falling in of said surface, or for destroying any spring or well of water, or for diverting any water flow or natural stream by reason of the removal of said coal or the exercise of any of the above mining privileges."

"It is expressly understood and agreed that the enumeration herein is in enlargement and not in restriction of the incidental rights accruing to said Grantees, by virtue of the within grant of coal and mining privileges."

"And together with the right to use and occupy such amount of surface of the above described land as may in the opinion of said Grantees, their heirs and assigns, from time to time, be useful for the purpose of mining said coal or exercising any rights incidental thereto, or that may be useful for the deposit of gob or refuse from said mines, or for carrying on the coal business and for the erection of buildings and machinery and tenant houses, and all other buildings needful or useful to carry on the coal business, or for the construction thereon of tracks, shafts, mine openings and other structures, and for the operation of railroads; and the said Grantors do, for themselves and their heirs, executors, administrators and assigns, covenant and agree that Grantors will upon demand and payment of, at the rate not exceeding One Hundred Dollars per acre, by the Grantees, their heirs and assigns, execute and deliver unto said Grantees, their heirs, and assigns, a good and sufficient deed of General Warranty, (and furnish therewith a complete Abstract of Title showing said lands to be free and clear of liens and encumbrances), conveying in fee simple, clear of liens and encumbrances, such amount of the above described land as Grantees in their opinion may require for the purposes herein next above set forth, And said Grantees agree to purchase the same at not exceeding said above stipulated price per acre."

"The Grantors reserve the rights to bore or dig through said vein of coal for oil or gas, but such boring or digging shall not interfere with the mining or removal of said coal."

It being expressly understood and agreed that the words "Grantor" or "Grantors", as used in the foregoing grant of rights and options, refer to the Grantors of Peter M. Hitchcock and William D. Rees, and not to The Cleveland Trust Company, Trustee, as Grantor in said deed to S. H. Robbins, or to said S. H. Robbins, as Grantor in former deed, and that in the execution and delivery of the former deed, said S. H. Robbins did assign and make over to The Cleveland Trust Company, as Grantee therein, only the interest which said S. H. Robbins had in such rights and options.

# PARCEL NO. 72 (2) - WASHINGTON TOWNSHIP

Known as and being the northwest quarter of the northwest quarter of Section twenty-six (26) and the northeast quarter of the northeast quarter of Section thirty-two (32), in Township Five (5), of Range four (4), in the district of Marietta and State of Ohio, containing eighty acres, more or less.

Being the same tract of coal described under the heading "PARCEL, NO. 72" in the deed from The Cleveland Trust Company, Trustee, to S. H. Robbins, dated July, 1918, recorded in Vol. 218, Page 2, et seq., of the Deed Records of Belmont County, Ohio; and being therein referred to as having been conveyed by Elizabeth Myers (unmarried) to Peter M. Hitchcock and William D. Rees, by deed dated April 9, 1903, and recorded in Vol. 145, Page 201 of the Deed Records of Belmont County, Ohio; to which deeds reference is hereby made.

TOGETHER with all easements, options, rights and privileges described in, and granted by, said deed from The Cleveland Trust

# **American Energy Corporation**

Lindsey Shaft Site

# Addendum to Item 12 Mining Rights Summary

Item 1. <u>DEED VOLUME 145 PAGE 416:</u> Mary A. Louden, widow, Sarah E. Daugherty and Albert A. Daugherty, her husband, and Emmett H. Shipman, unmarried, <u>GRANTORS</u>, to Peter M. Hitchcock and William D. Rees, **GRANTEES:** (JUNE 17, 1903)

"... the Grantors, of the County of Belmont and State of Ohio, ... do give, grant, bargain, sell and convey unto the said Grantees, their heirs and assigns forever, all the stone coal contained in the vein commonly known as the Pittsburg Vein and geologically known as Seam No. 8, in and underlying all that tract of land lying and situate in Washington Township, in the County of Belmont and State of Ohio ..."

"Said Grantors hereby convey to said Grantees, their heirs and assigns, all the No. 8 coal which they own in said Sections 20 and 26.

Together with the free and uninterrupted rights of way into, upon, and under said described land, at such points, and in such manner as may be useful for the purpose of digging, draining and ventilating, and mining and removing said coal together with the privilege of mining and removing through said described premises, other coal belonging to said Grantees, their heirs and assigns, or which may be hereafter acquired, together with the right and privilege to make drains on the surface, and air holes, and change the same as the convenience of mining may require, together with all mining privileges on said surface or under it necessary for the removal of all of the Pittsburg Vein underlying the same and neighboring properties now owned, or hereafter acquired by said Grantees their heirs and assigns; and said Grantees, their heirs and assigns, shall in no wise be liable for damages for failure to support the overlying surface, or for the sinking or falling in of said surface, or for destroying any spring or well of water, or for diverting any water flow or natural stream by reason of the removal of said coal or the exercise of any of the above mining privileges.

It is expressly understood and agreed that the enumeration herein is in enlargement and not in restriction of the incidental rights accruing to said Grantees, by virtue of the within grant of coal and mining privileges.

And together with the right to use and occupy such amount of surface of the above described land as may in the opinion of said Grantees, their heirs and assigns from time to time, be useful for the purpose of mining said coal or exercising any rights incidental thereto, or that may be useful for the deposit of gob or refuse from said mines, or for carrying on the coal business and for the erection of buildings and machinery and tenant houses and all other buildings needful or useful to carry on the coal business, or for the construction thereon of tracks, shafts, mine openings and other structures, and for the operation of railroads; and the said Grantors do for themselves and their heirs, executors, administrators and assigns covenant and agree that Grantors will upon demand and payment of, at the rate not exceeding One Hundred Dollars per acre, by the Grantees, their heirs and assigns, execute and deliver unto said Grantees, their heirs and assigns, a good and sufficient deed of General Warranty

(and furnish therewith a complete Abstract of Title showing said lands to be free and clear of liens and encumbrances), conveying in fee simple, clear of liens and encumbrances, such amount of the above described land as Grantees in their opinion may require for the purpose herein next above set forth. And said Grantees agree to purchase the same at not exceeding said above stipulated price per acre.

The Grantors reserve the rights to bore or dig through said vein of coal for oil or gas, but such boring or digging shall not interfere with the mining or removal of said coal."

Item 2. <u>DEED VOLUME 218 PAGE 2:</u> The Cleveland Trust Company, Trustee, <u>GRANTOR</u>, under the Last Will and Testament of William D. Rees, deceased, to S.H. Robbins, <u>GRANTEE</u>, dated <u>JULY 1<sup>st</sup></u>, <u>1918</u>. Tracts of coal are respectively referred to under the headings "PARCEL NO. 1" to "PARCEL NO. 71", inclusive. Together with all easements, options, rights and privileges described in, and granted by, said aforementioned deed.

Item 3. <u>DEED VOLUME 255 PAGE 600:</u> S.H. Robbins, <u>GRANTOR</u>, to The Cleveland Trust Company, <u>GRANTEE</u>; "Whereas S.H. Robbins by various deeds of record is the holder of the legal title to certain undivided interests in, or to all, the coal of the vein commonly known as the Pittsburgh vein, and geologically known as Seam No. 8, in and underlying certain tracts of land situated in Washington Township and Wayne Township, Belmont County, Ohio, and also in and underlying certain tracts of land situated in Monroe County, Ohio, together with appurtenant rights, options, privileges and easements, and is also the holder of the legal title in fee- simple to two certain tracts of land, and to an undivided one-half interest in a third tract of land, all situated in Washington Township, Belmont County, Ohio; and the said S.H. Robbins has by four deeds executed this date conveyed said property and rights to The Cleveland Trust Company, intending thereby to cover and convey all the property and rights held by him, as above stated, in said Washington and Wayne Townships, Belmont County, Ohio, and in Monroe County, Ohio:

Whereas, said S.H. Robbins desires to better assure to the Grantee the entire title to all of the property and rights so held by him, and to cure any misdescriptions that may by any possibility have occurred in said four deeds so executed to The Cleveland Trust Company, and any possible omissions therefrom of any property or rights held by him in Washington and Wayne Townships, Belmont County, Ohio, and in Monroe County, Ohio, as hereinabove stated;"

"All real property of every kind and nature, and all appurtenant rights, options, privileges and easements, situated in Washington Township and/or Wayne Township, Belmont County, Ohio, and/or in Monroe County, Ohio, the legal title to which is now held by said S.H. Robbins and is of record on this date in his name in the Recorder's office of Belmont County and/or Monroe County, Ohio." (SEPTEMBER 23, 1925)

Item 4. <u>DEED VOLUME 263 PAGE 62:</u> S.H. Robbins, unmarried, <u>GRANTOR</u>, to The Cleveland Trust Company, <u>GRANTEE</u>, the undivided one-half of all the stone coal contained in the vein commonly known as the Pittsburgh vein, and geologically known as Seam No. 8, in and underlying all of the following tracts or parcels of land, situated in the County of Belmont and State of Ohio. (SEPTEMBER 2, 1925)

Item 5. <u>DEED VOLUME 348 PAGE 68:</u> The Cleveland Trust Company, <u>GRANTOR</u>, to The Youghiogheny & Ohio Coal Company, <u>GRANTEE</u>:

"BLOCK I The undivided one-half (1/2) of all the stone coal contained in the vein commonly known as the Pittsburgh Vein and geologically known as Seam No. 8, in and underlying all the following tracts or parcels of land described in this Block numbered I hereof, situated in the County of Belmont and State of Ohio:

- ... PARCEL NO. 51 (60) WASHINGTON TOWNSHIP
- ... Second Tract" (JANUARY 24, 1945)

Item 6. <u>DEED VOLUME 382 PAGE 81:</u> Berkshire Farm, Inc., <u>GRANTOR</u>, to The Youghiogheny and Ohio Coal Company, <u>GRANTEE:</u> "... Berkshire Farm, Inc., ... the Grantor, ..., does give, grant, bargain, sell and convey unto the said Grantee, its successors and assigns, the undivided one-half (1/2) interest heretofore acquired and owned by Peter M. Hitchcock in and to the following described property:"

"BLOCK I All the stone coal contained in the vein commonly known as the Pittsburgh Vein, and geologically known as Seam No. 8 in and underlying all of the following parcels and tracts of land situated in Washington and Wayne Townships, Belmont County, Ohio, and Sunsbury Township, Monroe County, Ohio, together with the appurtenant easements, options, mining rights, and other rights and privileges hereinafter described:"

- ... PARCEL NO. 51 (60) WASHINGTON TOWNSHIP
- ... Second Tract" (MARCH 3, 1949)

Item 7. <u>LIMITED WARRANTY DEED VOLUME 707 PAGE 1:</u> Wyoming Pocahontas Land Company, (fka Youghiogheny and Ohio Coal Company), <u>GRANTOR</u>, to Consolidated Land Company, <u>GRANTEE</u>; It is the intent of the Grantor herein to convey to the Grantee, its successors and assigns, all of the Pittsburgh No. 8 coal and mining rights appurtenant thereto, situated in Belmont County, Ohio, of which the Grantor is seized at the date hereof. (FEBRUARY 24<sup>th</sup>, 1995)

Item 8. <u>MEMORANDUM OF LEASE O.R. VOLUME 112 PAGE 161:</u> Consolidated Land Company, <u>LESSOR</u>, and American Energy Corporation, <u>LESSEE:</u>

"The date of execution of the Lease is: February 1, 2002."

"The date of commencement of the term of the Lease was: February 1, 2002.

"The term of the Lease is for a period lasting until all mineable and merchantable coal has been depleted."

"This Memorandum is executed for recording. The Lease contains and sets forth other important terms and provisions which are incorporated herein by reference." (MAY 23, 2003)

The property rights (mining rights) which have been granted to American Energy Corporation by the documents cited above where in existence on August 3, 1977. Documents cited above authorizes the applicant to produce coal by a mining operation.

The coal is needed for, and immediately adjacent to, the ongoing coal mining operation which began in 1967 (Allison Mine, D-0425) for which all mine plan approvals and permits were obtained prior to August 3, 1977.

# Addendum to Right-of-Entry Affidavit Summary of Mining Rights

# Consolidated Land Company to American Energy Corporation

<u>ITEM 1.</u> Mining Rights to the following Parcel contained in Deed Volume 707 Page 1.

Limited Warranty Deed, Wyoming Pocahontas Land Company, (fka Youghiogheny and Ohio Coal Company), GRANTOR, to Consolidated Land Company, GRANTEE:

Pages 523-524, Parcel No. 51 (60), Second Tract (2-13-111); Mining Rights as described on Pages 528-529 as follows;

"Together with the free and uninterrupted rights of way into, upon and under said described land, at such points, and in such manner as may be useful for the purpose of digging, draining and ventilating, and mining and removing said coal, together with the privilege of mining and removing through said described premises other coal belonging to said Grantee, their heirs and assigns, or which may hereafter be acquired, together with the right and privilege to make drains on the surface, and air holes, and change the same as the convenience of mining may require, together with all mining privileges on said surface or under it necessary for the removal of all of the Pittsburgh Vein underlying the same and neighboring properties now owned, or hereafter acquired by said Grantees, their heirs and assigns; and said Grantees, their heirs and assigns, shall in no wise be liable for damages for failure to support the overlying surface, or for the sinking or falling in of said surface, or for destroying any spring or well of water, or for diverting any water flow or natural stream by reason of the removal of said coal or the exercise of any of the above mining privileges."

"It is expressly understood and agreed that the enumeration herein is in enlargement and not in restriction of the incidental rights accruing to said Grantees, by virtue of the within grant of coal and mining privileges."

"And together with the right to use and occupy such amount of surface of the above described land as may in the opinion of said Grantees, their heirs and assigns, from time to time, be useful for the purpose of mining said coal or exercising any rights incidental thereto, or that may be useful for the deposit of gob or refuse from said mines, or for carrying on the coal business and for the erection of buildings and machinery and tenant houses, and all other buildings needful or useful to carry on the coal business, or for the construction thereon of tracks, shafts, mine openings and other structures, and for the operation of railroads; and the said Grantors do, for themselves and their heirs, executors, administrators and assigns, covenant and agree that Grantors will upon demand and payment of, at the rate not exceeding One

Hundred Dollars per acre, by the Grantees, their heirs and assigns, execute and deliver unto said Grantees, their heirs, and assigns, a good and sufficient deed of General Warranty, (and furnish therewith a complete Abstract of Title showing said lands to be free and clear of liens and encumbrances), conveying in fee simple, clear of liens and encumbrances, such amount of the above described land as Grantees in their opinion may require for the purposes herein next above set forth, and said Grantees agree to purchase the same at not exceeding said stipulated price per acre."

"The Grantors reserve the rights to bore or dig through said vein of coal for oil or gas, but such boring or digging shall not interfere with the mining or removal of said coal."

It being expressly understood and agreed that the words "Grantor" or "Grantors", as used in the foregoing grant of rights and options, refer to the Grantors of Peter M. Hitchcock and William D. Rees, and not to The Cleveland Trust Company, Trustee, as Grantor in said deed to S.H. Robbins, or to said S.H. Robbins, as Grantor in former deed, and that in the execution and delivery of the former deed, said S.H. Robbins did assign and make over to The Cleveland Trust Company, as Grantee therein, only the interest which said S.H. Robbins had in such rights and options.

C.

	Yes No lf "yes," submit proof of valid existing rights.	
16.	Does the IBR application area include any area within the boundaries of the following systems: national park, national wildlife refuge, national trails, national wilderness preservation, national recreational areas or wild and scenic rivers or river corridors including those rivers under study?	
	Yes No If "yes," submit proof of valid existing rights.	
17.	Does the IBR application area include any federally owned lands within the boundaries of any national forest?	
	Yes No ld If "yes," submit approval of U.S. Secretary of Interior or proof of valid existing rights.	
18.	Will operations conducted within this IBR adversely affect any publicly owned park or places included on the National Register of Historic Places?	
	Yes No If "yes," submit joint approval from the chief and the federal, state or local agency with jurisdiction over the park or places or proof of valid existing rights and describe the measures to be used to prevent or minimize these impacts.	
19.	Will operations conducted within this IBR affect land within one hundred feet of the outside right-of-way of a public road or result in mining through a public road?	
	Yes No If "yes," list the public road(s) in the space below and submit Public Road Consent or proof of valid existing rights.	
	County Highway 86 and Township Road 1544. See addendum to IBR, Ifem 12 - Valid Existing Rights	
20.	Will operations conducted within this IBR affect land within three hundred feet of any occupied dwelling?	
	Yes No If "yes," list the name of the owner(s) in the space below and submit Occupied Dwelling Consent or proof of valid existing rights.	
	See addendum to IBR Item 12 - Valid Existing Rights	

Page 4 of 8

Application for an Incidental Boundary Revision Revised 02/06 DNR-744-9005

	21.	Will operations conducted within this IBR affect land within three hundred feet of any public building, school, church, community or institutional building or public park?
		Yes ☐ No ☒ If "yes," submit proof of valid existing rights.
	22.	Will operations conducted within this IBR affect land within one hundred feet of a cemetery?
		Yes $\square$ No $\boxtimes$ If "yes," submit proof of valid existing rights or appropriate authorization to relocate the cemetery.
	23.	Is this IBR application area within an area designated unsuitable for coal mining operations or under study for designation in an administrative proceeding?
		Yes ☐ No ⊠
		If "yes," did the applicant make substantial legal and financial commitments in this IBR application area prior to January 4, 1977? Yes \( \subseteq \text{No} \subseteq \subseteq If "yes," provide documentation supporting the assertion that the commitments were made prior to January 4, 1977.
ı <b>(</b>	24.	In order to address the nature of cultural, historic and archeological resources, submit Archeology - Surface.
	25.	Describe the uses of the land existing at the time of the filing of this IBR application area and provide a map delineating the area and acreage of each land use.
		The proposed I.B.R. area is composed of 4.0 acres of pastureland. See Addendum to IBR Item 25, Land Use Exhibit Map.
	26.	Describe the use of the land, including the creation of permanent impoundments, that is proposed to be made of the land following reclamation, including information regarding the utility and capacity of the reclaimed land to support a variety of alternative uses. Provide a map that delineates the area and acreage of each proposed land use, and submit assurance of maintenance for each permanent impoundment.
		The use of the land following reclamation will be pastureland. See. I.B.R. Map.
		The post-mining land use for this area will be aesthetically appropriate and
		corresponds with adjacent land uses. Grasses and legumes will be used as a
(C)		ication for an Incidental Boundary Revision
		sed 02/06 -744-9005

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

## **ARCHEOLOGY - SURFACE**

1. Applicant's Name American Energy Corporation

Address 43521 Mayhugh Hill Road

City Beallsville State Ohio Zip 43716

- 2. Contact Person Jack A. Hamilton & Associates, Inc. Phone 740-968-4947
- 3. Location and Acreage Information

County Belmont Township Washington

Section 26

Lot(s) N/A T-5, R-4

USGS Quadrangle Armstrong Mills Acreage 4.0

- 4. Application Map Attached: (area described in 3 above is to be outlined on the map)
- 5. Previous Disturbance:

(

present; absent within application area only (Note: previous disturbance is any type of natural or human made disturbance to the topsoil and subsoil in the application area prior to submittal. Examples include, but are not limited to, slides, severe erosion, previous mining activities, clear cut logging, recreational activities, etc., but not agricultural plowing and discing.)

If previous disturbance is present, list below <u>and</u> clearly delineate the extent of each type of disturbance on the application map to be sent to the SHPO by the division. Attach addendum, if necessary.

Type of Disturbance	Date Occurred	Percent of Application	Map Symbol	
种生物/表面组织运用 作动场/支型制作用等 补理/支型制作/2建	· · · · · · · · · · · · · · · · · · ·	(2001年) 1980年 (1984年) 1985年 (1987年) 1985年 (1985年) 1985年 (1987年) 1985年 (1987年) 1985年 (1987年) 1985年 (1987年)		
1970年   1970年   1970年   1970年   1970年   19	The second secon	「独立とかなり、400円度 現場できまる。デラス・デ できたができない。 「日本ではない。」 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	開発機能を対しては は 対理を対しては 対理を対しては 対理を対しては 対理を対しては が、 が、 が、 が、 が、 が、 が、 が、 が、 が、	
<b>TRUM</b>	· 斯勒斯里 20-11 图 · 亚中国 4-2 图 · 阿洛克克斯斯曼	Section for the section of the secti		
東京選集 (東京新聞学 東京教士 (東京新聞学 東京教士 (東京新聞学	许可以后来的"他 快有自然的原则 处态,是连续相似	以表现。 第二章 通用和设置 191章 建国际有限	是 海 (中	
一直 第4年 (本市大学) 大学 (本市大学)		· · · · · · · · · · · · · · · · · · ·	(漢字學) 養護 (漢字學) 養護 (漢別別) (漢字)	

ARCHAEOLOGY - SURFACE

o. Outfork Early Osc. (gosonbo land gos and percent or land in that a	6.	Current Land Use:	(describe land use and percent of land in that us	se)
---	----	-------------------	---	-----

Agricultural:

Residential:

Mining:

Pasture: 100%

Secondary Forest Growth:

Has area been clear cut logged? Yes , No Has area been clear cut logged

Other:

# 7. Historic and Prehistoric Structures:

#### **Definitions**

A historic or prehistoric structure is a work made up of interdependent and interrelated parts in a definite pattern of organization. Constructed by humans, and 50 years or older, it is usually an engineering project.

## **Types**

Historic structures include, but are not limited to dwellings, buildings, barns, farmstead outbuildings, bridges, culverts, churches, schools, halls, iron furnaces (and associated buildings), canals, forts, abandoned coal mine buildings, mine entrances, tipples and related structures, etc.

Prehistoric structures include, but are not limited to, earthworks, mounds, rockshelters, etc.

List all known historic and prehistoric structures below <u>and</u> locate each one on the application map to be sent to the SHPO <u>including</u> corresponding labeled black and white, front and rear photographs of each structure. Attach addendum, if necessary.

Structure Type	Construction Date	Map Reference	Photo # Front	Photo # Rear	
		「沙田県名」(A. Y. 中になった。中間では、 中国では、中間では、 1922年では、新しては、		10.4 (10.10 m) 企业主义。	
		(17 - 18 18 18 18 18 18 18 18 18 18 18 18 18			
English of the control of the contro	程·安徽、福建 一种的技术	POLICE CONTROL OF THE PROPERTY	The state of the s	The state of the s	
general s Section 1 Section 1	H. The state of th	The Property of the Community of the Com	1784年 - 27 - 17 - 17 - 17 - 17 - 17 - 17 - 17	The state of the s	
COUNTY OF A	Constitution of the Consti	1970 A 704 50 1970 A 704 50 1970 A 704 50 1970 A 704 50	- (本書覧)と ジャー (株本) (大) (な) た (地) (スポース)	在1.00 图像 1/2 图像 2/2 图 1.00 图像 1/2 图 1/2 0/2 0/2 0/2 0/2 0/2 0/2 0/2 0/2 0/2 0	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Salah Salah	



Revised 02/06 DNR-744-9039

Previous Historic and/or Archeological Surveys: (describe any surveys known to applicant on the application area or adjacent areas) 8.

Application area: NONE

Adjacent areas: NONE

SHPO please send this form to: Division of Mineral Resources Management 9. Attn: Division Archeologist 2045 Morse Road, Building H-3 Columbus, Ohio 43229-6693

# FOR USE BY THE STATE HISTORIC PRESERVATION OFFICE ONLY

(check appropriate space)

A. This is a recommendation for an archeological survey of the application based on the following reasons (attach addendum, if necessary):

1

167

ARCHAEOLOGY - SURFACE

A SHPO review of the area shown on the application map has provided a listing below of all known historic and prehistoric properties listed and eligible for listing on the "National Register of Historic Places" and known historic and prehistoric sites on the application area and adjacent areas (in a 1.5 mile radius). The listing includes, when appropriate, those historic and prehistoric structures identified by the applicant in items 7 and 8 above.

# Listed and Eligible National Register Sites

Site Name (#)	Туре	Application Area	Adjacent Area
10 10 10 10 10 10 10 10 10 10 10 10 10 1	A CAMPAGE AND A	Property Color Col	・ できない 大学 できない できない できない できない できない できない できない できない
(南京市、河南江市) 中 任事等基本。(中央) 東京市公司第一次 東京市公司第一 東京市公司第一 東京市公司第一 東京市公司第一 東京市公司 東京市公司 東京市公司 東京市公司 東京市公司 東京市公司 東	間ができた。2、第5日 東京は19月2日 東京は19月2日 東京は19日 東京 東京は19日 東京は19日 東京	Topical Control Contro	100 March 100 Ma
大學之一所有一次 是四個學生,是是一生 如此學生,但是是一生 如此學生,可以	在 10 mm 电电阻 10 mm	The state of the s	And State of the Control of the Cont
は様々、大きさまなから では、大きさまなから では、大きさまなから		Charles and Charle	The property and the pr

# Known Historic and Prehistoric Sites

Site Name (#)	Туре	Application Area	Adjacent Area
	Paga Anglian	田学等原画(学)を作ります。 日記でも、200年、1912年、日本 日本学生を表現では200年 日本学生である。1912年、	
"有数据"的是" "我们是是是一个	他の問題を表現した。    他の問題を表現した。    大変を対象が大きた。	(2) 有明金·西亚·马克· · · · · · · · · · · · · · · · · · · ·	・ と、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一
A TWO MARKS			経過性を対するとは である。同点は関連し またしまります。特別で である。また
All Andrews (Control of the Control	では、 の の の の の の の の の の の の の	<b>建</b>	(日本) (日本) (日本) (日本) (日本) (日本) (日本) (日本)

B. A SHPO review of the area shown on the application map and information contained in this form finds that the proposed mining does not have a reasonable probability of affecting any properties listed or eligible for listing on the "National Register of Historic Places." Therefore, no further coordination will be necessary with this office unless the scope of the application area changes.

State Historic Preservation Officer	****	
SHPO#		
Date		

Part 2: Section A

H }

Page 4 of 4

Revised 02/06 DNR-744-9039

# Addendum to Item 26 Reclamation Plan Narrative American Energy Corporation

Upon abandonment all facilities will be dismantled and removed from the site. During reclamation the waste tailings generated from drilling the shaft and stored in the construction sump will be returned to the shaft and sealed during mine closure. The shaft will be sealed as shown on Sheet C4, Borehole Reclamation Detail. The appropriate utility companies will be notified to discontinue service and the utility structures will be dismantled and removed. The facilities will be removed within two years following the completion of coal removal from the mine.

After the facilities have been removed and tailings returned to the shaft, the area will be re-graded to the approximate original contour. Since the area will be returned to its approximate original contour, restored drainage patterns will not differ significantly from original drainage patterns and final grades will approximate the original grades. No permanent impoundments are proposed for this site.

All topsoil will be redistributed. Redistribution will be achieved by hauling or pushing all topsoil from the storage area. A uniform thickness of at least six inches will be distributed. Excessive compaction will be avoided by not redistributing extremely wet soils and preventing equipment from continually retracing their tracks and discing between applications if placing of topsoil results in over compaction. Diversion ditches, establishment of prompt vegetation and a suitable mulch and/or other stability practices will be used on all resoiled areas per rule 1501:13-9-1(e)(1).

Re-soiling will commence and be completed on graded areas during the first appropriate planting/growing season following completion of grading unless precluded by climatic conditions. Re-soiling should normally occur between April and October 1.

Temporary vegetation will be planted immediately after re-soiling or disturbance of areas that require temporary vegetation, weather permitting.

APR 1 9 2010

ORIGINAL

IBR-0425-19

# Addendum to Item 26 Reclamation Plan Narrative American Energy Corporation

Permanent seeding will follow re-soiling operations within 30 days and in accordance with the approved plan unless precluded by climatic conditions.


The species listed below will be used for the post-mining land use of pastureland:

# **SPECIES**

7lbs./ac. Ladino Clover 8lbs./ac. Orchard Grass 10lbs./ac. Red Clover 10lbs./ac. Timothy

(

AEC 07447



will be greater than that at the present time. The reclaimed land could support uses such as grazing land, cropland, undeveloped recreational uses and
wildlife habitat uses.
Wildlife Habitat uses.
<ol> <li>Submit <u>Surface Owner Comments</u> from the legal or equitable owner(s) of record of the IBR application area concerning the proposed land use.</li> </ol>
See Surface Owner Comments - Nelson G. Lindsey
28. Is the post-mining land use to be different from the pre-mining land use?
Yes No If "yes," submit Land Use Change Notification.
<ol> <li>Submit Negative PFL Determination for areas within this IBR application area that are not prime farmland.</li> </ol>
Having considered the negative determinations, does this IBR application area include any land that is prime farmland? Yes $\square$ No $\boxtimes$
If "yes," submit PFL Restoration Plan or describe how this area will be avoided.
30. Are any of the variances listed below being requested?
Yes No If "yes," identify the variances and submit the applicable request(s) as an addendum.
☐ Stream buffer zone ☐ Small area drainage exemption
31. Will the proposed IBR area result in diversions of overland flow away from the disturbed area?
Yes No If "yes," provide the required engineering designs.
32. Will the proposed IBR area result in construction of diversions to direct runoff through a sediment pond or a series of sediment ponds?
Yes No If "yes," provide the required engineering designs.
Application for an Incidental Boundary Revision
Revised 02/06 DNR-744-9005

Page 6 of 8

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

# **SURFACE OWNER COMMENTS**

TO: American Energy Corporation	
FROM: Nelson G. Lindsey	,
Location of Proposed Permit Area:	
County/Twp: Delmont / Washington	Lot/Section: 26
The proposed postmining land use(s) for your property is/a	re checked below:
Cropland Pasture Land Grazing Land Industrial Land Use Commercial Land Use Developed Water Resources	Residential Land Use Forest Undeveloped Land Use Fish & Wildlife Recreation Land Use
Pursuant to 1501:13-4-05(G)(2) of the Ohio Acconcerning the proposed postmining land use(s) for the prothe appropriate box below.	
I concur with the proposed postmining land uses I DO NOT concur with the proposed postmining la	•
SIGNATURE OF SURFACE OWNER	08-70-08 DATE
Please check each (if any) of the following list interested in having on your property. PLEASE NOTE: O provide any or all of selected enhancements. This form options that may be available through the coal company.	thecking a box does not require the operator to
Tree/Shrub Plantings Ponds/Wetlands Brushpiles Rockpiles	Small Depressions Perching/Nesting Structures Other: Other:
WAIVER STATEMENT (Optional for Surface Owner): right to comment on any revision to the permit applicati results in a change in the postmining land use(s) from the MY RIGHT TO COMMENT ON ANY PROPOSED POST ISSUANCE)  SIGNATURE OF SURFACE OWNER	on during the application review process that ose shown above. (NOTE: I DO NOT WAIVE

Revised 02/06 DNR-744-9048

# OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINERAL RESOURCES MANAGEMENT

#### **NEGATIVE PFL DETERMINATION**

Applicant's Name American Energy Corporation - LE.R. 425-19

### - A TO SEE STATEMENT BELOW

Check (X) the appropriate item numbers and attach the documents used to make the demonstration.

Lands within the application area have not been historically used for cropland.
 The slope of the land within the application area is greater than eight percent.
 The total prime farmland soil unit (inside and outside of the application area) is less than three acres.
 On the basis of a second order soil survey meeting the standards of the National Cooperative Soil Survey, there are no soil map units within the application area that

have been designated prime farmland by the U.S. Natural Resource Conservation


5. On the basis of a first order soil survey commissioned by the applicant and meeting the standard of the National Cooperative Soil Survey, there were found to be no prime farmland map units as designated by the NRCS within the application area (see PFL Restoration Plan, item 2 for 1st order survey criteria).

Attached form OH-CPA-65 was completed by Jeff Bettinger. Natural Resources Conservation Service has found this area to contain orime farmland soil units. As previously stated in R-0425-5. American Energy Corporation based on deeds executed in 1966 and 1967 which include mining and surface rights, is exempt from the Prime Farmland Regulation under Section 1504-13-4-12 (F)(1) of the Ohio Revised Gode.

Revised 02/06 DNR-744-9029

Service.

<ul><li>J. S. Department of Agr</li><li>Natural Resources Cons</li></ul>	iculture ervation Service	OH-CPA-65 Rev. 9/94
	Certification of Prime/Nonpri	me Farmland
Name of Mine Operator	American Energy Corp.	
Location of Permit App	lication Area Sect 26, T-52-	Y , Washington two Belmost Co.
Size of Permit Area (Ac	res) 4AC	
Check Appropriate Bl	ock:	79.79 to 19.44 to
1.	I have determined that this permit a farmland in accordance with the ed Farmland Map Unit List found in t Guide.	application DOES NOT contain prime ition of the current county Prime he county Field Office Technical
<u> </u>		
2.	cordance with the edition of the Pri	ntion CONTAINS prime farmland in ac- ne Farmland Map Units for Ohio and fo Map Unit List, whichever is more curre
A soil map has l	peen attached and prime unit(s) are a	s follows:
Soil Map Syml	ool Map Unit Name	• • · · · · · · · · · · · · · · · · · ·
LeB	Lowell Silt L	oam, 3 To 8 Percent slopes
	,	
Signature:	Mal. Bitt.	7-16-09
/	/ // Il Resources Conservation Service	



IBR-425-19

I, the undersigned authorized representative of the permittee, hereby attest that no coal has been or will be removed from the acreage identified in this application and verify the information in this application as true and correct to the best of my information and belief.
Printed Name: James R. Turner, Jr.
Signature:
Title: Treasurer /
Date Signed: ու Կ ի8
Sworn before me and subscribed in my presence this day of
HUIT MEDD WILLE WILLS
JULIE WEBB  Notary Public, State of Chic  Notary Public
My Commission Exp. May 14, 201.  FOR DIVISION USE ONLY
This application is hereby ⊠ issued, ☐ disapproved
☑ The acreage identified in Item 4 of this application is now part of permit
The acreage identified in Item 5 of this application has been deleted from permit
Date: 5/27/0 Signed: Chief, Division of Mineral Resources Mgmt.
\$ $\boxed{0,000}$ of performance security received on $\boxed{5/27/10}$ .
j.
Revised 05/07 DNR-744-9005
OPERATOR IBR-0425-19

k

I, the undersigned authorized representative of the permittee, hereby attest that no coal has been or will be removed from the acreage identified in this application and verify the information in this application as true and correct to the best of my information and belief.
Printed Name: James R. Turner, Jr.
Signature:
Title: Treasurer
Date Signed: 11 4 68
Sworn before me and subscribed in my presence this day of November, 20 08  JULIE WEBB Notary Public, State of Ohio Ny Commission Exp. May 14, 201.  FOR DIVISION USE ONLY
This application is hereby ⊠ issued, ☐ disapproved
☐ The acreage identified in Item 4 of this application is now part of permit  ○○ □ □ The acreage identified in Item 5 of this application has been deleted from permit
Date: 527 0 Signed: Chief, Division of Mineral Resources Mgmt.
\$ $\boxed{0,000}$ of performance security received on $\boxed{5/27/10}$ .

Revised 05/07 DNR-744-9005

 $\mathbf{\ell}^{i}$ 

()

**OPERATOR** 


33.	<ol><li>Indicate which of the following are proposed to be constructed within this IE application area, and provide the required engineering designs for each.</li></ol>									
		Sedimentation pond(s) (submit Pond/Impoundment Plan)								
		Water impoundments, including wetlands that impound water (submit Pond/Impoundment Plan)								
	$\boxtimes$	Sumps								
	$\boxtimes$	Other (specify) Borehole - See Addendum								
34.	Are any	roads to be constructed, used or maintained within this IBR application area?								
	Yes [ designs	No If "yes," provide the required description and engineering s.								
35.		re any conveyor or rail systems to be constructed, used or maintained within application area?								
	Yes [ designs	No If "yes," provide the required description and engineering s.								

### BELMONT COUNTY ENGINEERING DEPARTMENT PHONE NO. (740) 699 - 2160

### COUNTY OF BEMONT STATE OF OHIO

# DRIVEWAY CULVERT APPLICATION FOR PERMIT

To The:	Date <u>Feb.</u>	14, 2009			
Application is	hereby made	by American En	ergy Corporation	<u>l</u>	
P.O. Address	43521 Mayh	ugh Hill Road			
Phone No. (7	740 ) <u>926-91</u>	52	to have a	driveway culvert in	stalled at
				572 feet northeas	
County Road	No. <u>86</u>	Road Nan	ne <u>Pugh Ridge I</u>	Road	
Proposed Cul 0.11 miles T.R. 1544	vert to be alor N <u>X</u> S inter	ng NS EW section.	E W of Twp. R	X side of hi	ghway Rd.
		Residential		Commercial _	X
Proposed driv	e surface:	Gravel X Concrete	Limestone	Asphalt	<del>_</del> <del>_</del>
Drive width re	quested:	16	_ feet		
property lines. Edge of drive	is recommend		um of eleven (11	e located in relation ) feet from the pro	



.O.	Bob Delling DRIVEWAY CULVERT PERMIT  PERMIT NO
1	Bob Defling PERMIT NO COUNTY ROAD NO. Bb NAME PUBLI KIDGE LOAD
	BELMONT COUNTY ENGINEER'S DEPARTMENT
	ADDRESS 4352/ Manhigh Hill Rd.
	Beallsville, Ohio 43716
	PHONE NO. (740) 976 - 9152
	on C.H.86-0. Ilmiles N. of T.H. 1544-
	20 min. drive width plus typer.
	DRIVE PIPE REQUIRED YES NO
('	DIAMETER 12 INCHES LENGTH- 30 FEET OF SMOOTH BORE PLASTIC
	DRIVE SURFACE: CONCRETE ASPHALT LIMESTONE
	GRAVEL OTHER
	<ol> <li>The profile of the driveway must slope away from the existing pavement.</li> <li>(at a minimum to the ditch line)</li> </ol>
	<ol> <li>Paved driveways which extend to the edge of highway cannot set above the edge of pavement. No curbs or headwalls that could create hazards or hamper maintenance operations, such as snow plowing will be allowed.</li> </ol>
	3. If culvert pipe is required (as determined by Engineer) it is the owners responsibility to furnish the culvert pipe. (minimum diameter is 12 inch; minimum length is 30 foot)
	4. Existing drive pipes that have deteriorated or have been damaged causing blockage to the flow of water in the roadside ditch will be required to be repaired or replaced.
	5. The driveway shall be located where adequate vision of oncoming traffic is provided.
÷	DATE 2/23/09  Mile E. W. Deputy Eyr.  FRED F. BENNETT, P.E., P.S.  BELMONT COUNTY ENGINEER

#### ATTACHMENT 13

#### DIAMOND DRILL HOLE: CLC-2002-20

Field Engineer:

Kim Cecil

Surface Elevation: 1,325
Drill Hole Coordinates (State Plane 1927 NA Datum)

1,325.00

688450

Easting: Drilling Company:

2426390 Kerogen Resources

Thickness	Depth From	То		Water	Physical		Thickness
(ft.)	(ft.)	(ft.)	Strata	Bearing	Properties	HR	(ft.)
20.00	0.00	20.00	Casing	Dearing	rioperues	<del>'''</del>	0.00
0.95	20.00	20.95	Shale, gy	Ÿ	cm, em	+	0.00
1.00	20.95	21.95	Shale, gy, Is nods		ak, cm, em	+-1	0.00
1.05	21.95	23.00	Limestone, shaley, nodular	Y	ak, cs, es	v	1.05
5.70	23.00	28.70	Claystone, dk gy, ls nods	Y	ak, cv, ev	11	0.00
1.00	28.70	29.70	Core loss				0.00
1.65	29.70	31.35	Claystone, red/ gy		cv, ev	$\Box$	0.00
1.30	31.35	32.65	Claystone, gy		cv, ev		0.00
2.15	32.65	34.80	Sandstone, gy, crossbeds	Y	cs, es	У	2.15
3.85	34.80	38.65	Shale, gy, interbedded ss	Y	cm, em	-	0,00
1.60	38.65	40.25	Shale, gy, sandy	ΥΥ	cm, em	+	0.00
2.15 7.20	40.25 42.40	42.40 49.60	Claystone, gy Claystone, red		cv, ev	$\vdash$	0.00
7.20	49.60	57.55	Shale, gy, sandy, is nods	— <del>                                      </del>	cv, ev	-	0.00
4.70	57.55	62.25	Shale, gy, sandy	<del>-                                     </del>	ak, cm, em	-	0.00
3.30	62.25	65.55	Sandstone, gy, sh stks	<u>'</u>	cm, em cs, es	y	0.00 3.30
1.70	65.55	67,25	Claystone, gy	<del></del>	cs, es	┼┸┼	0.00
4.25	67.25	71.50	Sandstone, gy, massive	Y	cs, es	<sub>V</sub>	4.25
1.30	71.50	72.80	Shale, gy, is nods		ak, cm, em		0.00
0.80	72.80	73.60	Shale, gy, sandy		cm, em		0.00
7.20	73.60	80.80	Shale, gy, is nods		ak, cm, em		0.00
0.35	80.80	81.15	Shale, red/ gy		cm, em		0.00
1.55	81.15	82.70	Claystone, dk gy		cv, ev		0.00
0.40	82.70	83.10	Claystone, dk gy, is nods		ak, cv, ev		0.00
2.05	83.10	85,15	Claystone, dk gy		cv, ev		0.00
0.25	85.15	85,40	Claystone, dk gy, ls nods		ak, cv, ev	<b>├</b> ─-	0.00
1.65 5.85	85.40 87.05	87.05 92.90	Shale, dk gy Shale, gy, sandy, ls nods		cm, em	┝╌┼	0.00
0.85	92,90	93.75	Shale, dk gy, Is nods		ak, cm, em ak, cm, em	$\vdash$	0.00
5.90	93.75	99.65	Shale, gy, sandy, is nods		ak, cm, em	$\vdash$	0.00
3,40	99.65	103.05	Shale, gy, Is nods	· · · · · · · · · · · · · · · · · · ·	ak, cm, em	┝	0.00
0.40	103.05	103,45	Claystone, red/ gy		cv, ev	$\vdash$	0.00
3.25	103,45	106.70	Claystone, dk gy, is nods		ak, cv, ev	-	0.00
1.55	106.70	108.25	Claystone, dk gy		cv, ev		0.00
1.00	108.25	109.25	Shale, gy, sandy		cm, em		0.00
6.70	109.25	115.95	Claystone, dk gy, Is nods		ak,cv		0.00
4.60	115.95	120.55	Shale, gy, sandy, is nods		ak, cm, em		0.00
3.45	120.55	124.00	Shale, gy, ss stks, is nods		ak, cm, em		0.00
7.10	124.00	131.10	Claystone, gy, is nods		ak, cv, ev	_	0.00
1.15 2.90	131.10 132.25	132.25 135.15	Shale, gy, ss stks, is nods Sandstone, gy, crossbeds		ak, cm, em		0.00
3.10	135,15	138.25	Shale, gy, sandy		CS, es	У.	2.90
3.00	138.25	141.25	Shale, gy, saildy Shale, gy, is nods		cm, em ak, cm, em	-	0.00
1,90	141.25	143,15	Shale, red/ gy		cm, em		0.00
1.00	143.15	144.15	Claystone, gy		cv, ev		0,00
3,90	144.15	148.05	Claystone, red		cv, ev		0.00
1.65	148.05	149.70	Claystone, red/ gy		cv, ev		0.00
0.95	149.70	150.65	Claystone, gy, is nods		ak, cv, ev		0.00
2.65	150.65	153.30	Shale, gy, ss stks, is nods		ak, cm, em		0.00
0.40	153.30	153.70	Shale, gy, sandy		cm, em	$\Box$	0.00
0.45	153.70	154.15	Claystone, red/ gy		cv, ev	_ _	0.00
1,20	154.15 155.35	155.35 157.05	Shale, gy, sandy Claystone, red/ gy		cm, em		0.00
0.35	157.05	157.40	Claystone, red/ gy Claystone, gy		cv, ev	-	0.00
0.35	157.40	157.65	Claystone, red	<del></del>	cv, ev		0.00
0.80	157.65	158.45	Claystone, red/ gy		cv, ev	$\dashv$	0.00

CLC-2002-20\_Permit.xls

ATTACHMENT 13

#### DIAMOND DRILL HOLE: CLC-2002-20

Thickness   Thic	1 8								
(ft.)	( )		Depth						Thickness of
1.10 158.45 179.65 State, gr. anarby cm., em. 0.00 3.60 158.16 State, gr. anarby cm., em. 0.00 0.00 158.16 State, state, gr. anarby cm., em. 0.00 0.00 158.16 State, state, gr. anarby cm., em. 0.00 0.00 158.16 State, state, gr. anarby cm., em. 0.00 0.00 158.16 State, gr. anarby cm., em. 0.00 0.00 1.00 158.16 State, gr. anarby cm., em. 0.00 0.00 1.00 1.00 1.00 1.00 1.00 1.	1487						•		
3.60 195.05 109.15   Shelle, gr., saredy   m.n., em   0.00   3.20 195.15   109.45   Shelle, gr., saredy   m.n., em   0.00   3.21 10 165.24   Shelle, gr., saredy   m.n., em   0.00   3.21 10 165.24   Shelle, gr., saredy   m.n., em   0.00   3.21 10 165.24   Shelle, gr., saredy   m.n., em   0.00   3.21 10 10 10 10 10 10 10 10 10 10 10 10 10						Bearing		HR	
1.0.00								-	
12.10						<del> </del>		+	
2.05								+	
4.15 179.95 183.10 183.10 183.0 194.45 Shale, or, shely, noddar als. c., se s y 0.40 0.40 183.10 183.50 194.45 Shale, or, shely, noddar als. c., se s y 0.40 0.55 183.50 194.45 Shale, or, shely, noddar als. c., se s y 0.40 0.55 183.50 194.45 Shale, or, shely, noddar als. c., se s y 0.45 0.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.45 183.50 194.		2.05			Shale, red	1			
0.40 183.50 183.50 183.50 183.50 1 Limestone, shalopy, notidar									
0.95 183.50 184.45 Shale, gry, Is node								┷	
0.45 184.45 184.90 189.40   Shale, problem   sk. cs. es   y   0.45   4.50 189.40   Shale, prof y   shoots   sk. cm, em   0.00   0.40 189.40   189.80   Shale, prof y   ch. cm   0.00   0.40 189.40   189.80   Shale, prof y   ch. cm   0.00   0.40 199.45   199.55   Shale, prof y   ch. cm   0.00   0.40 199.55   199.55   Shale, prof y   ch. cm   0.00   0.40 199.55   199.55   Shale, prof y   ch. cm   0.00   0.45 199.56   199.55   Shale, prof y   ch. cm   0.00   0.46 199.56   199.56   199.56   Shale, prof y   ch. cm   0.00   0.30 199.25   199.25   Shale, prof y   shoots   sk. cm, em   0.00   0.30 199.25   199.25   Shale, prof y   shoots   sk. cm, em   0.00   0.30 199.25   199.25   Shale, prof y   shoots   sk. cm, em   0.00   0.30 199.35   199.25   Shale, prof y   shoots   sk. cm, em   0.00   0.30 199.36   209.15   209.15   Chaystone, red   cr. y   sw   0.00   0.30 199.36   209.15   209.80   Chaystone, red   cr. y   sw   0.00   0.30 199.36   209.15   209.80   Chaystone, red   cr. y   sw   0.00   0.30 20 199.36   209.15   Chaystone, red   cr. y   sw   0.00   0.30 21 180   212.60   Shale, prof, londs   sk. cm, em   0.00   0.80 21 180   212.60   Shale, prof, londs   sk. cm, em   0.00   0.80 21 180   212.60   Shale, prof, londs   sk. cm, em   0.00   0.80 21 180   212.60   Shale, prof, londs   sk. cm, em   0.00   0.80 21 180   212.60   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   212.60   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   212.60   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   212.60   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   cr. y   0.00   0.80 21 180   209.20   Chaystone, red   cr. y   cr. y   cr. y   0.00   0.80 21 22 20 22 20 22 20 22 20 22 20 22 20 22 20 22 20 22 20 22 20 22 20 22 20								17	
4.50 184.90 189.40 189.40 189.80 Shale, gry la node   als, cm, em   0.00						<del> </del>		1.,	
0.40 189.40 189.80   Shale, red gy   cm, em   0.00   1.75 189.80 191.55   Shale, gm, la nods   ak, cm, em   0.00   0.40 191.55   191.55   Shale, gm, la nods   ak, cm, em   0.00   0.56 191.95   192.55   Shale, gm, la nods   ak, cm, em   0.00   0.45 192.50   192.55   Shale, gr, la nods   ak, cm, em   0.00   0.45 192.50   192.55   Shale, gr, la nods   ak, cm, em   0.00   0.50   0.50   192.55   Shale, gr, la nods   ak, cm, em   0.00   0.50   0									
0.40 191.55 191.86   Slate, gy, la node   als, cm, em   0.00   0.55 191.85 191.85   192.50   Limentone, shaley, notodar   de, cs, ee   0.55   0.45 192.50   192.50   Shale, gy, la node   als, cm, em   0.00   0.30 192.95   193.25   Limentone, shaley, notidar   als, cm, em   0.00   1.70 193.25   194.50   Shale, gy, la node   als, cm, em   0.00   0.30 192.95   193.25   Limentone, shaley, notidar   als, cs, ee   0.33   1.70 193.25   194.50   Shale, gy, la node   als, cm, em   0.00   0.60 20.81   20.81   20.81   20.81   20.81   0.80 20.81   20.81   20.81   20.81   20.81   0.80 20.81   20.81   20.81   20.81   0.80 20.80   20.80   20.80   20.80   20.80   0.80 211.80   211.80   Claystone, red fyr   cv, ev   0.00   0.80 211.80   211.80   Claystone, gyl, la node   als, cm, em   0.00   0.30 212.60   211.80   Claystone, gyl, la node   als, cm, em   0.00   0.30 212.60   211.80   Shale, gy, sandy, la node   als, cm, em   0.00   0.30 212.60   211.80   Claystone, gyl, gy andy, la node   als, cm, em   0.00   0.50 220   200.00   222.20   Claystone, gyl, gy andy, la node   als, cm, em   0.00   0.50 21.50   21.61   Shale, gy, la node   als, cm, em   0.00   0.50 22.50   20.90   222.20   Claystone, gyl, gy   cy   cv, ev   0.00   0.50 22.50   20.90   222.20   Claystone, gyl, gy   cy   cv, ev   0.00   0.50 22.50   20.90   222.20   Claystone, gyl, gy   cy   cv, ev   0.00   0.50 22.50   20.90   222.20   Claystone, gyl, gy   cy   cy   cy   cv, ev   0.00   0.50 22.75   228.60   228.55   Shale, red gy   cy   cy   cy   cy   cy   cy   cy		0.40	189.40	189.80	Shale, red/ gy			$\Box$	
0.55 19135 192.50   Ilmestone, shaley, noddar   el., c3, eg. y   0.55   0.45 192.50   192.55   193.52   Ilmestone, shaley, noddar   el., c3, eg. y   0.30   17.70   192.52   193.52   Ilmestone, shaley, noddar   el., c5, eg. y   0.30   17.70   192.52   194.55   193.52   Ilmestone, shaley, noddar   el., c5, eg. y   0.30   9.20   194.95   204.15   Claystone, red   cy. v. v. v. 0.00   9.20   194.95   204.15   Claystone, red   cy. v. 0.00   9.20   194.95   204.15   Claystone, red   cy. v. 0.00   9.20   204.15   205.15   Claystone, red   cy. v. 0.00   9.20   206.60   211.80   212.60   Shale, gy, la nods   el., cm, em. 0.00   9.21   190   211.80   212.60   Shale, gy, sandy, la nods   el., cm, em. 0.00   9.30   211.80   212.60   Shale, gy, sandy, la nods   el., cm, em. 0.00   9.30   211.80   222.00   Claystone, red   gy   cy. v. ev. 0.00   9.20   202.00   222.20   Claystone, red   gy   cy. v. ev. 0.00   9.576   222.20   222.55   Shale, gy, la nods   el., cm, em. 0.00   9.65   222.79   222.60   222.50   Claystone, red   gy   cy. v. ev. 0.00   9.75   228.60   223.35   Shale, gy   cy. cm, em. 0.00   9.75   228.60   223.35   Shale, gy   cy. cy. cy. em. em. 0.00   9.75   228.60   223.35   Shale, gy   cy. cy. cy. cy. cy. em. em. 0.00   9.75   228.60   223.35   Shale, gy   cy. cy. cy. cy. cy. cy. em. em. 0.00   9.75   228.60   223.35   Shale, gy   cy.									
0.45 192.50 192.95 Shale, gy, is node sk, cm, em sk, cm, em sk, cs, es y 0.30 17.70 192.25 194.95 Shale, gy, is node sk, cs, es y 0.30 17.70 192.25 194.95 Shale, gy, is node sk, cm, em 0.00 19.20 194.95 204.15 Claystone, red cx, ev 0.00 19.20 194.95 204.15 Claystone, red cx, ev 0.00 19.20 194.95 205.15 Claystone, red cx, ev 0.00 19.20 194.95 205.15 Claystone, red cx, ev 0.00 19.20 194.95 205.15 Claystone, red gy 0.00 19.20 194.20						<b> </b>		ш	
19295   193.25   193.45   Limestone, shaley, nodular   sk, ch, cs   y   0.30						<b> </b>		-Y-	
1.70 193.25 194.95 Shale, gy, ls nods   ak, cm, em   0.00   9.20 194.95 204.15 (Claystone, red gy   cv, ev   0.00   1.000 204.15 205.15 Claystone, red gy   cv, ev   0.00   3.65 205.15 208.80 Shale, gy, ls nods   ak, cm, em   0.00   0.00 208.00 208.00 Claystone, red gy   cv, ev   0.00   0.00 208.00 208.00 Claystone, red gy   cv, ev   0.00   0.00 208.00 211.80 Claystone, red gy   cv, ev   0.00   0.00 212.00 212.00 Claystone, red gy   cv, ev   0.00   0.00 3.90 212.00 22.20 Claystone, red gy   cv, ev   0.00   0.00 5.76 22.20 20.00 22.20 Claystone, red gy   cv, ev   0.00   0.00 5.76 22.20 22.00 Claystone, red gy   cv, ev   cv, ev   0.00   0.05 5.75 22.20 22.20 Claystone, red gy   cv, ev   cv, ev   0.00   0.06 227.95 228.60 Shale, gy   cm, em   0.00   0.075 228.60 229.35 Shale, red gy   cm, em   0.00   0.040 229.35 229.75 Shale, gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.06 229.35 234.50 233.10 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.070 231.25 231.35 Shale, red gy   cm, em   0.00   0.05 228.50 238.55 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.05 228.50 238.50 Shale, gy, sandy, ls nods   sk, cm, em   0.00   0.06 228.50 298.50 Sh						<del> </del>		╁┰╏	
9.20 194.95 204.15   Claystone, red   Cv, ev   0.00   3.66 205.16 203.80   Shale, gy, la node   etk, cm, em   0.00   0.60 203.60 203.60   Claystone, gy, la node   etk, cm, em   0.00   2.20 209.60   211.60   Claystone, gy, la node   etk, cm, em   0.00   0.60 211.60   212.60   Shale, gy, sandy, la node   etk, cm, em   0.00   3.50 212.60   218.10   Shale, gy, sandy, la node   etk, cm, em   0.00   3.50 212.60   218.10   Shale, gy, sandy, la node   etk, cm, em   0.00   2.20 200.60   222.20   Claystone, gy, la node   etk, cm, em   0.00   2.20 200.60   222.20   Claystone, edd   etk, cm, em   0.00   2.20 200.60   222.20   Claystone, edd   etk, cm, em   0.00   2.20 200.60   222.20   Claystone, edd   etk, cm, em   0.00   3.50   6.60   228.00   222.20   Claystone, edd   etk, cm, em   0.00   4.60   228.00   222.20   Shale, gyd and   etk, cm, em   0.00   4.60   228.00   222.20   Shale, gyd and   etk, cm, em   0.00   4.60   228.00   222.25   Shale, gyd and   etk, cm, em   0.00   4.60   228.35   228.75   Shale, gyd and   etk, cm, em   0.00   4.60   228.35   228.75   Shale, gyd and   etk, cm, em   0.00   4.60   228.35   228.75   Shale, gyd   etk, edd   etk, cm, em   0.00   4.60   228.35   228.75   Shale, gyd   etk, edd   etk, cm, em   0.00   4.60   228.35   228.75   238.195   Claystone, gy   etk, edd   etk, cm, em   0.00   4.60   228.35   228.35   Shale, gyd   etk, edd   etk, cm, em   0.00   4.60   228.35   228.35   Shale, gyd   etk, edd   etk, cm, em   0.00   4.60   238.10   238.45   Shale, gyd, sandy   eth, edd   etk, cm, em   0.00   4.60   238.45   238.20   Shale, gyd, sandy   eth, edd   eth,						<u> </u>		<del>                                     </del>	
3.65		9.20	194,95						
0.80 200.80 209.80 209.80 211.80 Claystone, redf gy									
2.20 208.60 211.80 Claystone, gry, is nods ak, cm, em 0.00 3.50 212.60 216.10 Shale, gry, sandy, is nods ak, cm, em 0.00 3.50 212.60 216.10 Shale, gry, sandy, is nods ak, cm, em 0.00 2.20 216.10 220.00 222.00 (Jaystone, red gry cv, ev 0.00 2.20 20.00 222.20 Claystone, red cv, ev 0.00 0.00 6.575 222.20 227.95 Shale, gry cm, em 0.00 0.06 0.65 227.95 228.60 Shale, gry cm, em 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0								-	
0.80 211.80 212.60 Shale, gy, sandy, is nods						<u></u>		$\vdash$	
350 212.60 216.10 Shale, gy, ls nods   ak, cm, em   0.00   22.00   220.00   222.20   Claystone, red   cy, ey   0.00   22.00   222.20   Claystone, red   cy, ey   0.00   0.65   227.95   228.60   Shale, red   cy, ey   cm, em   0.00   0.65   227.95   228.60   Shale, red   cy, ey   cm, em   0.00   0.65   227.95   228.60   Shale, red   cy   cm, em   0.00									
390 216.10 220.00 Claystone, red y									
S.75   222.20   227.95   Shale, red gr,   cm, em   0.00   0.05   227.95   228.60   Shale, gr,   cm, em   0.00   0.75   228.60   229.35   Shale, red gr,   cm, em   0.00   0.00   1.50   229.75   Shale, red gr,   cm, em   0.00   0.00   1.50   229.75   Shale, gr,   cm, em   0.00   0.				220.00					
0.65							cv, ev		0.00
0.75								$\dashv$	
0.40 229.35 229.75 Shale, gy cm, em 0.00 1.50 229.75 Shale, gy cm, em 0.00 0.70 231.25 231.95 Claystone, gy cm, em 0.00 0.70 231.25 231.95 Claystone, gy cy, ev 0.00 1.15 231.95 231.05 Shale, dk gy, ls nods ak, cm, em 0.00 0.00 1.15 231.95 231.05 Shale, dk gy, ls nods ak, cm, em 0.00 0.05 231.25 231.05 Claystone, gy cy, ev 0.00 0.00 0.05 231.25 231.05 Claystone, gy cy, sandy cm, em 0.00 0.05 231.25 231.25 231.20 Shale, gy, sandy cm, em 0.00 0.05 231.25 231.25 Shale, gy, sandy ls nods ak, cm, em 0.00 0.05 231.25 231.25 Shale, gy, sandy ls nods ak, cm, em 0.00 0.05 231.25 231.25 231.25 Shale, gy, ls nods ak, cm, em 0.00 0.05 231.25 231.25 231.25 Shale, gy, ls nods ak, cm, em 0.00 0.05 241.35 Shale, dk gy cm, em 0.00 0.05 241.35 Shale, dk gy cm, em 0.00 0.05 241.35 Shale, end gy cm, ls nods ak, cm, em 0.00 0.05 241.25 242.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 231.25 231.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 231.25 231.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.05 232.25 Shale, gy, ls nods ak, cm, em 0.00 2.00 2.00 2.00 2.0								-	
1.50   229.75   231.25   Shale, red gy	, .							-	
0.70         231.95         231.95 (baystone, gy         cv, av         0.00           1.15         231.96         233.10         Shale, dk gy, ls nods         ak, cm, em         0.00           1.40         233.10         234.50         Limestone, shaley, nodular         ak, cs, es         y         1.40           0.95         234.50         235.45         Shale, gy, sandy, ls nods         ak, cm, em         0.00           0.65         233.20         238.85         Claystone, red gy, ls nods         ak, cm, em         0.00           0.65         233.85         240.90         Shale, gy, ls nods         ak, cm, em         0.00           0.45         240.90         Shale, gy, ls nods         ak, cm, em         0.00           0.85         241.35         Shale, gk gy         cm, em         0.00           0.85         241.35         Shale, gy, ls nods         ak, cm, em         0.00           0.85         241.35         Shale, gy, ls nods         ak, cm, em         0.00           0.85         241.35         Shale, gy, sarky, ls nods         ak, cm, em         0.00           0.85         241.35         Shale, gy, sarky, ls nods         ak, cm, em         0.00           0.85         252.65 <t< td=""><td>C</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	C								
1.40 233.10 234.50 Limestone, shaley, nodular sk, cs, es y 1.40 0.95 234.50 235.45 Shale, gy, sandy crn, em 0.00 2.75 235.45 233.20 Shale, gy, sandy ls nods sk, cm, em 0.00 0.65 238.20 238.85 Claystone, red gy, ls nods sk, cm, em 0.00 0.00 0.45 240.90 Shale, gy, ls nods sk, cm, em 0.00 0.05 0.45 240.90 Shale, gy, ls nods sk, cm, em 0.00 0.05 0.45 240.90 Chale, gy, ls nods sk, cm, em 0.00 0.05 0.05 0.05 0.05 0.05 0.05 0.0		0.70	231,25		Claystone, gy				
0.95         234.50         235.45         Shale, gy, sandy, ls nods         ak, cm, em         0.00           2.75         235.45         238.20         Shale, gy, sandy, ls nods         ak, cm, em         0.00           0.65         238.85         240.90         Shale, gy, ls nods         ak, cm, em         0.00           0.05         238.85         240.90         Shale, dk gy         cm, em         0.00           0.95         241.35         Shale, dk gy         cm, em         0.00           0.95         241.35         242.20         Shale, gy, ls nods         ak, cm, em         0.00           3.05         242.20         245.25         Shale, gy, ls nods         ak, cm, em         0.00           2.06         252.55         Shale, gy, sasky, ls nods         ak, cm, em         0.00           2.05         252.65         Shale, gy, sasky, ls nods         ak, cm, em         0.00           2.05         252.65         254.70         Shale, gy, sasky, ls nods         ak, cm, em         0.00           2.05         252.65         254.70         Shale, gy, sasky, ls nods         ak, cm, em         0.00           4.00         263.90         263.90         Sandstone, gy, crossbeds         cs, ss         y							ak, cm, em		0.00
2.75         235.45         238.20         Shale, gy, sandy, Is nods         ak, cm, em         0.00           0.65         238.85         240.90         Shale, gy, Is nods         ak, cm, em         0.00           0.45         240.90         241.35         Shale, gy, Is nods         ak, cm, em         0.00           0.85         241.35         Shale, gy, Is nods         ak, cm, em         0.00           3.05         242.20         245.25         Shale, gy, Is nods         ak, cm, em         0.00           7.40         245.25         Shale, gy, sandy, Is nods         ak, cm, em         0.00           8.20         252.65         254.70         Shale, gy, sandy, Is nods         ak, cm, em         0.00           8.20         254.70         262.90         Sandstone, gy, sandy, Is nods         ak, cm, em         0.00           8.20         254.70         262.90         Sandstone, gy, sandy, Is nods         cs, es         y         8.20           1.00         262.90         268.90         Sandstone, gy, srossbeds         cs, es         y         8.20           1.00         262.90         268.10         Sandstone, gy, crossbeds         cs, es         y         4.20           0.55         268.10						· · · ·		У	
0.65         238.20         238.85         Claystone, redf gy, Is nods         ak, cv, ev         0.00           2.05         238.85         240.90         Shale, gy, Is nods         ak, cm, em         0.00           0.45         240.90         241.35         Shale, gy, gy         cm, em         0.00           0.85         241.35         242.20         Shale, gy, Is nods         ak, cm, em         0.00           3.05         242.20         245.25         Shale, gy, Is nods         ak, cm, em         0.00           7.40         245.25         252.65         Shale, gy, Is nods         ak, cm, em         0.00           8.20         255         252.65         Shale, gy, sas lsk, Is nods         ak, cm, em         0.00           8.20         254.70         262.90         Sandstone, gy, crossbeds         cs, es         y         8.20           1.00         282.90         263.90         Sandstone, gy, crossbeds         cs, es         y         1.00           4.20         263.39         268.10         Sandstone, gy, crossbeds         cs, es         y         4.20           0.55         268.10         288.55         Shale, dk gy         cm, em         0.00           0.75         268.65									
2.05 238.85 240.90 Shale, gy, Is nods ak, cm, em 0.00 0.45 240.90 241.35 Shale, dk gy cm, em 0.00 0.85 241.35 240.90 241.35 Shale, dk gy cm, em 0.00 0.85 241.35 242.20 245.25 Shale, gy, Is nods ak, cm, em 0.00 3.05 242.20 245.25 Shale, gy, Is nods ak, cm, em 0.00 2.05 252.65 252.65 Shale, gy, sandy, Is nods ak, cm, em 0.00 2.05 252.65 254.70 Shale, gy, sandy, Is nods ak, cm, em 0.00 2.05 252.65 254.70 Shale, gy, sandy, Is nods ak, cm, em 0.00 2.05 252.65 254.70 Shale, gy, sandy, Is nods ak, cm, em 0.00 2.05 252.65 254.70 Shale, gy, sandy characteristic ch								$\dashv$	
0.45         240.90         241.35         Shale, dk gy         cm, em         0.00           0.85         241.35         242.20         Shale, red/ gy         cn, em         0.00           7.40         245.25         252.65         Shale, gy, sandy, is nods         ak, cm, em         0.00           2.05         252.65         254.70         Shale, gy, sastks, is nods         ak, cm, em         0.00           8.20         264.70         262.90         Sandstone, gy, crossbeds         cs, es         y         8.20           1.00         262.90         263.90         Sandstone, gy, crossbeds         cs, es         y         1.00           4.20         263.90         268.10         Sandstone, gy, crossbeds         cs, es         y         1.00           0.55         268.10         268.65         Shale, dk gy         cm, em         0.00         0.00           0.75         268.65         269.40         Shale, dk gy         cm, em         0.00         0.00         0.05         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85         125.55         270.40         289.55         Shale, dk gy         cm, em         0.00         0.00         0.00         281.60 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td>								1	
3.05 242.20 245.25 Shale, gy, Is nods ak, cm, em 0.00 7.40 245.25 252.55 Shale, gy, sandy, Is nods ak, cm, em 0.00 2.05 252.65 254.70 Shale, gy, sandy, Is nods ak, cm, em 0.00 8.20 254.70 262.90 Sandstone, gy, crossbeds cs, es y 8.20 1.00 262.90 263.90 Sandstone, gy, massive cs, es y 1.00 4.20 263.90 268.10 Sandstone, gy, massive cs, es y 1.00 0.55 268.10 268.65 Shale, dk gy 0.75 268.65 269.40 269.55 Shale, dk gy 0.85 269.40 269.55 Shale, dk gy cm, em 0.00 0.85 269.55 270.40 Limestone, shaley, nodular ak, cs, es y 0.85 12.55 270.40 282.95 Shale, dk gy cm, em 0.00 0.60 281.00 291.60 Shale, dk gy cm, em 0.00 0.60 291.00 291.60 Shale, dk gy cm, em 0.00 0.00 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.01 291.60 291.60 Shale, dk gy cm, em 0.00 0.02 291.60 Shale, dk gy cm, em 0.00 0.03 291.60 291.60 Shale, dk gy cm, em 0.00 0.04 292.54 293.28 Coal, sh sits ac, cw, ev 0.00 0.74 292.54 293.28 Coal, sh sits ac, cw, ev 0.00 0.75 294.11 294.86 Coal, sh sits ac, cw, ev 0.00 0.09 295.51 296.61 Shale, dk gy cm, em 0.00 0.09 295.51 296.61 Shale, dk gy coal sits ac, cm, em 0.00 0.09 295.51 296.61 Shale, dk gy coal sits ac, cm, em 0.00 0.00 295.51 296.61 Shale, dk gy coal sits ac, cm, em 0.00 0.00 295.51 296.61 Shale, dk gy coal sits ac, cm, em 0.00 0.00 295.51 296.60 298.30 309.35 Shale, dk gy, is nods ak, cm, em 0.00 0.00 295.51 296.60 Shale, dk gy, is nods ak, cm, em 0.00 0.00 295.51 315.70 Claystone, dk gy, is nods ak, cm, em 0.00 0.00 295.51 315.70 Shale, gy, sandy, is nods ak, cm, em 0.00		0.45	240.90	241.35	Shale, dk gy				
7.40 245.25 252.65 Shele, gy, sandy, is nods								_ _	
2.05									
8.20         254.70         262.90         Sandstone, gy, crossbeds         cs, es         y         8.20           1.00         262.90         263.90         Sandstone, gy, massive         cs, es         y         1.00           4.20         263.90         266.10         Sandstone, gy, crossbeds         cs, es         y         4.20           0.55         268.10         268.65         Shale, dk gy         cm, em         0.00           0.75         268.65         269.40         Shale, gy, sandy         cm, em         0.00           0.15         269.40         269.55         Shale, dk gy         cm, em         0.00           0.85         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85           12.55         270.40         282.95         Shale, dk gy         cm, em         0.00								-	
1.00         262.90         263.90         Sandstone, gy, massive         cs, es         y         1.00           4.20         263.90         268.10         Sandstone, gy, crossbeds         cs, es         y         4.20           0.55         268.10         268.65         Shale, dk gy         cm, em         0.00           0.75         268.65         269.40         Shale, gy, sandy         cm, em         0.00           0.15         269.40         269.55         Shale, dk gy         cm, em         0.00           0.85         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85           12.55         270.40         282.95         Shale, dk gy         cm, em         0.00           8.05         282.95         291.00         Shale, dk gy         cm, em         0.00           0.60         291.00         291.63         Pyrite         ac, cm, em         0.00           0.91         291.63         Pyrite         ac, cx, es         0.00           0.91         291.63         292.54         Coal, sh stks         ac, cv, ev         0.00           0.74         292.54         293.28         Coal, sh stks         ac, cv, ev								v	
4.20         263.90         268.10         Sandstone, gy, crossbeds         cs, es         y         4.20           0.55         268.10         288.65         Shale, dk gy         cm, em         0.00           0.75         268.65         269.40         Shale, gy, sandy         cm, em         0.00           0.15         269.40         269.55         Shale, dk gy         cm, em         0.00           0.85         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85           12.55         270.40         282.95         Shale, dk gy         cm, em         0.00         0.00           8.05         282.95         291.00         Shale, dk gy         cm, em         0.00									
0.75         268.65         269.40         Shale, gy, sendy         cm, em         0.00           0.15         269.40         269.55         Shale, dk gy         cm, em         0.00           0.85         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85           12.55         270.40         282.95         Shale, dk gy, is nods         ak, cm, em         0.00           8.05         282.95         291.00         Shale, dk gy         cm, em         0.00           0.60         291.00         291.63         Pyrite         ac, cm, em         0.00           0.03         291.63         291.63         Pyrite         ac, cs, es         0.00           0.91         291.63         292.54         Coal, bone stks, WASHINGTON No. 12         ac, cv, ev         0.00           0.74         292.54         293.28         Coal, bone stks         ac, cv, ev         0.00           0.75         294.11         Coal, bone stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00								у	
0.15         269,40         269,55         Shale, dk gy         cm, em         0.00           0.85         269,55         270,40         Limestones, shaley, nodular         ak, cs, es         y         0.85           12,55         270,40         282,95         Shale, dk gy, ls nods         ak, cm, em         0.00           8,05         282,95         291,00         Shale, dk gy         cm, em         0.00           0,60         291,00         291,60         Shale, blk         ac, cm, em         0.00           0,91         291,63         292,16         Sprjie         ac, cs, es         0.00           0,91         291,63         292,54         Coal, bone stks, WASHINGTON No. 12         ac, cs, es         0.00           0,74         292,54         293,28         Coal, sh stks         ac, cv, ev         0.00           0,83         293,28         294,11         Coal, sh stks         ac, cv, ev         0.00           0,75         294,11         294,86         295,02         Shale, dk gy         cm, em         0.00           0,16         294,86         295,02         Shale, dk gy         cm, em         0.00           0,49         295,02         295,51         Shale, dk gy								$\perp \Gamma$	
0.85         269.55         270.40         Limestone, shaley, nodular         ak, cs, es         y         0.85           12.55         270.40         282.95         Shale, dk gy, Is nods         ak, cm, em         0.00           8.05         282.95         291.00         Shale, dk gy         cm, em         0.00           0.60         291.00         291.60         Shale, blk         ac, cm, em         0.00           0.03         291.60         291.63         Pyrite         ac, cs, es         0.00           0.91         291.63         292.54         Coal, bone stks, WASHINGTON No. 12         ac, cs, es         0.00           0.74         292.54         293.28         Coal, sh stks         ac, cv, ev         0.00           0.83         293.28         294.11         Coal, sh stks         ac, cv, ev         0.00           0.75         294.11         294.86         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.61         Coal, bone stks									
12.55   270.40   282.95   Shale, dk gy, ls nods   ak, cm, em   0.00								┰┞	
8.05   282.95   291.00   Shale, dk gy   cm, em   0.00					Shale, dk gy, ls nods			4	
0.03         291.60         291.63         Pyrite         ac, cs, es         0.00           0.91         291.63         292.54         Coal, bone stks, WASHINGTON No. 12         ac, cv, ev         0.00           0.74         292.54         293.28         Coal, sh stks         ac, cv, ev         0.00           0.83         293.28         294.11         Coal, bone stks         ac, cv, ev         0.00           0.75         294.11         294.86         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.51         Coal, bone stks         ac, cm, em         0.00           0.09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           1.05         298.30         309.35         Shale, dk gy, ls nods         ak, cn, em         0.00           6.35         309.35         315.70         Claystone, dk gy, ls nods         ak, cn, em		8.05	282.95	291.00	Shale, dk gy		cm, em		
0.91         291.63         292.54         Coal, bone stks, WASHINGTON No. 12         ac, cv, ev         0.00           0.74         292.54         293.28         Coal, sh stks         ac, cv, ev         0.00           0.83         293.28         294.11         Coal, sh one stks         ac, cv, ev         0.00           0.75         294.11         294.66         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.51         Coal, bone stks         ac, cv, ev         0.00           0.09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, ls nods         ak, cn, em         0.00           6.35         309.35         315.70         Claystone, dk gy, ls nods         ak, cn, em         0.00           3.05         315.70         Shale, dk gy, ls nods         ak, cn, em									
0.74         292.54         293.28         Coal, sh stks         ac, cv, ev         0.00           0.83         293.28         294.11         Coal, sh one stks         ac, cv, ev         0.00           0.75         294.11         294.86         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.51         Coal, bone stks         ac, cm, em         0.00           0.09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk, gl, s nods         ak, cm, em         0.00           6.35         309.35         315.70         Claystone, dk gy, ls nods         ak, cm, em         0.00           3.05         315.70         318.75         Shale, dk, gy, ls nods         ak, cm, em         0.00								-	
0.83         293.28         294.11         Coal, bone stks         ac, cv, ev         0.00           0.75         294.11         294.86         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.51         Coal, bone stks         ac, cv, ev         0.00           0.99         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, ls nods         ak, cm, em         0.00           6.35         309.35         315.70         Claystone, dk gy, ls nods         ak, cv, ev         0.00           3.05         315.70         318.75         Shale, gy, sandy, ls nods         ak, cm, em         0.00			242.24					-	
0.75         294.11         294.86         Coal, sh stks         ac, cv, ev         0.00           0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1.00         295.51         296.51         Coal, bone stks         ac, cm, em         0.00           0.09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, is nods         ak, cm, em         0.00           6.35         309.35         315.70         Claystone, dk gy, is nods         ak, cm, em         0.00           3.05         315.70         318.75         Shale, gy, sandy, is nods         ak, cm, em         0.00								+	
0.16         294.86         295.02         Shale, dk gy         cm, em         0.00           0.49         295.02         295.51         Shale, blk, coal stks         ac, cm, em         0.00           1,00         295.51         296.51         Coal, bone stks         ac, cv, ev         0.00           0,09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1,70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, is nods         ak, cn, em         0.00           6.35         309.35         315.70         Claystone, dk gy, is nods         ak, cv, ev         0.00           3.05         315.70         318.75         Shale, gy, sandy, is nods         ak, cm, em         0.00				294.86				_	
1,00   295.51   296.51   Coal, bone stks   ac, cv, ev   0.00     0.09   296.51   296.60   Shale, blk   ac, cm, em   0.00     1.70   296.60   298.30   Claystone, dk gy   cv, ev   0.00     11.05   298.30   309.35   Shale, dk gy, is nods   ak, cm, em   0.00     16.35   309.35   315.70   Claystone, dk gy, is nods   ak, cv, ev   0.00     3.05   315.70   318.75   Shale, gy, sandy, is nods   ak, cm, em   0.00							cm, em		0.00
0.09         296.51         296.60         Shale, blk         ac, cm, em         0.00           1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, is nods         ak, cm, em         0.00           6.35         309.35         315.70         Claystone, dk gy, is nods         ak, cv, ev         0.00           3.05         315.70         318.75         Shale, gy, sandy, is nods         ak, cm, em         0.00									
1.70         296.60         298.30         Claystone, dk gy         cv, ev         0.00           11.05         298.30         309.35         Shale, dk gy, is nods         ak, cm, em         0.00           6.35         309.35         315.70         Claystone, dk gy, is nods         ak, cv, ev         0.00           3.05         315.70         318.75         Shale, gy, sandy, is nods         ak, cm, em         0.00									
11.05 298.30 309.35 Shale, dk gy, is nods ak, cm, em 0.00 6.35 309.35 315.70 Claystone, dk gy, is nods ak, cv, ev 0.00 3.05 315.70 318.75 Shale, gy, sandy, is nods ak, cm, em 0.00								+	
6.35 309.35 315.70 Claystone, dk gy, ls nods ak, cv, ev 0.00 3.05 315.70 318.75 Shale, gy, sandy, ls nods ak, cm, em 0.00	1 A				Shale, dk gy, is nods			十	
	(: /	6.35	309.35	315.70	Claystone, dk gy, is nods		ak, cv, ev		0.00
2.35 318.75 321.10 Shale, dk. gy, is nods ak, cm, em 0.00	•							_	
		2.35	318.75	321.10	onare, dk gy, is nods		ak, cm, em		0.00

CLC-2002-20\_Permit.xls 1:45 PM4/10/2008

#### ATTACHMENT 13

## DIAMOND DRILL HOLE: CLC-2002-20

hickness	Depth From	То		Water	Physical		Thickness Hard Roc
(ft.)	(ft.)	(ft.)	Strata	Bearing	Properties	HR	
0.85	321.10	321.95	Shate, gy, sandy, Is nods	<u> </u>	ak, cm, em		0.00
2.50	321.95 324.45	324.45 326.55	Shale, gy, ss stks, is nods	J	ak, cm, em		0.00
4.95	326.55	331.50	Shale, gy, Is nods Shale, gy, sandy, Is nods	1	ak, cm, em ak, cm, em	╁	0.00
4.70	331.50	336.20	Claystone, dk gy, ls nods		ak, cv, ev	+	0.00
5.45	336.20	341.65	Shale, gy, is nods		ak, cm, em	1	0.00
0.65	341.65	342.30	Shale, gy		cm, em		0.00
0.29	342.30	342.59	Shale, blk, coal stks		ac, cm, em		0.00
0.19	342.59	342.78	Coal, bone stks, WAYNESBURG "A"		ac, cv, ev	1-1	0.00
0.69	342.78 343.47	343.47 343.49	Bone, coal stks Shale, dk gy		ac, cv, ev	+	0.00
0.96	343.49	344.45	Bone, coal stks		ac, cv, ev	1-1	0.00
0.47	344.45	344.92	Shale, blk, coal stks	<del></del>	ac, cm, em	1 1	0.00
1.84	344.92	346.76	Coal, sh layers		ac, cv, ev		0.00
0.02	346.76	346.78	Claystone, dk gy		cv, ev		0.00
1.16	346.78	347.94	Bone, coal stks		ac, cv, ev		0.00
0.06	347.94	348.00	Shale, blk		ac, cm, em		0.00
0.42	348.00 348.42	348.42 348.66	Bone, coal layers Shale, blk, coal stks		ac, cv, ev		0.00
0.24	348.66	348.73	Shale, blk		ac, cm, em ac, cm, em	1	0.00
1.02	348.73	349.75	Limestone, shaley, nodular		ak, cs, es	V	1.02
0.20	349.75	349.95	Shale, blk		ac, cm, em	М	0.00
0.05	349.95	350.00	Limestone		ak, cs, es	у	0.05
0.45	350.00	350.45	Shale, blk		ac, cm, em		0.00
0.80	350.45	351.25	Limestone, shaley, nodular		ak, cs, es	У	0.80
0.70 1.05	351.25 351.95	351.95 353.00	Claystone, dk gy, is nods Limestone, shaley, nodular		ak, cv, ev		0.00
1.85	353,00	354.85	Shale, dk gy, is nods		ak, cs, es ak, cm, em	У	1.05 0.00
3.20	354.85	358.05	Limestone, shaley, nodular		ak, cs, es	v	3.20
1.90	358.05	359.95	Shale, gy, is nods		ak, cm, em	-	0.00
2.30	359.95	362.25	Shale, gy, sandy, is nods		ak, cm, em		0.00
1.20	362.25	363.45	Sandstone, gy, sh stks		cs, es	У	1,20
2.90	363.45	366.35	Shale, gy, ss stks, is nods		ak, cm, em	$\perp$	0.00
1.70	366.35	368.05	Shale, gy, is nods		ak, cm, em		0.00
0.35 5.00	368.05 368.40	368.40 373.40	Shale, gy, ss stks, ls nods Shale, gy, ls nods		ak, cm, em	<b>-</b> ⊢	0.00
0.70	373.40	374.10	Claystone, dk gy		ak, cm, em cv, ev	-+	0.00
0.25	374.10	374,35	Limestone, shaley, nodular		ak, cs, es	y l	0.25
3.75	374.35	378.10	Shale, gy, Is nods		ak, cm, em	4	0.00
0.75	378.10	378.85	Shale, dk gy, ls nods		ak, cm, em		0.00
1.95	378.85	380.80	Claystone, dk gy		cv, ev		0.00
0.70	380.80	381.50	Claystone, dk gy, is nods		ak, cv, ev		0.00
1.20 2.85	381.50 382.70	382.70 385.55	Shale, gy, ss stks, is nods Shale, dk gy, is nods		ak, cm, em		0.00
0.43	385.55	385.98	Shale, dk gy, is nods Shale, dk gy		ak, cm, em cm, em		0.00
0.27	385.98	388.25	Shale, blk		ac, cm, em		0.00
0.13	386.25	386,38	Shale, blk, coal stks		ac, cm, em	_ _	0.00
0.43	386.38	386,81	Coal, bone stks, WAYNESBURG No.11		ac, cv, ev		0.00
0.79	386.81	387.60	Bone, coal stks		ac, cv, ev		0.00
0.68	387.60	388.28	Coal, pyrite		ac, cv, ev	-	0,00
0.37	388,28 388,65	388.65 389.80	Shale, blk Shale, gy, ls nods		ac, cm, em		0.00
1.15 6.60	389.80	396.40	Shale, gy, ss stks, is nods		ak, cm, em ak, cm, em	+	0.00
6.10	396.40	402.50	Shale, dk gy, ss stks		cm, em		0.00
1.20	402.50	403.70	Shale, dk gy, interbedded ss		cm, em	_	0.00
0.54	403.70	404.24	Claystone, dk gy		cv, ev		0.00
0.41	404.24		Coal, sh stks, LITTLE WAYNESBURG		ac, cv, ev		0.00
2.55	404,65	407.20	Shale, dk gy, ls nods Limestone, shaley, nodular		ak, cm, em	_	0.00
3.05 2.10	407.20 410.25	410.25 412.35	Claystone, dk gy		ak, cs, es cv, ev	<u> </u>	3.05 0.00
1.30	412.35	413.65	Shale, dk gy, is nods		ak, cm, em	- -	0.00
0.70	413.65	414.35	Limestone, shaley, nodular			y	0.70
1.55	414.35	415.90	Shale, dk gy, ls nods		ak, cm, em		0.00
0.30	415.90	416.20	Limestone, massive		ak, cs, es	У	0.30
0.60	416.20	416.80	Limestone, mosaic			У	0,60
0.70	416.80 417.50		Limestone, massive Shale, dk gy, ls nods			<u> </u>	0.70
0.90	418.40		Limestone, massive		ak, cm, em ak, cs, es		0.00

CLC-2002-20\_Permit.xls : 1:46 PM/r10/2008

ATTACHMENT 13

#### DIAMOND DRILL HOLE: CLC-2002-20

Thickness	Depth From	То		Water	Physical		Thickness o
(ft.)	(ft.)	(ft.)	Strata	Bearing	Properties	HR	(ft.)
0.30	418.80	419.10	Limestone, mosaic		ak, cs, es	Y	0.30
0.65 8.85	419.10 419.75	419.75 428.60	Limestone, shaley, nodular Shale, dk gy, ls nods		ak, cs, es		0.65
1.50	428.60	430.10	Limestone, shaley, layered		ak, cm, em ak, cs, es	l <sub>v</sub>	0.00 1.50
0.25	430.10	430.35	Claystone, gm	~	cv, ev	+*	0.00
0.20	430.35	430.55	Claystone, dk gy, Is nods		ak, cv, ev		0.00
2.60	430.55	433.15	Shale, dk gy, is nods		ak, cm, em		0.00
4.65 3.65	433.15 437.80	437.80 441.45	Shale, gy, sandy, is nods Shale, gy, ss siks, is nods		ak, cm, em	4	0.00
0.90	441.45	442.35	Shale, dk gy, Is nods		ak, cm, em ak, cm, em	+-1	0.00
0.55	442.35	442.90	Shale, dk gy		cm, em	╁┈┤	0.00
1.00	442.90	443.90	Shale, red		cm, em		0.00
0.35	443.90	444.25	Shale, dk gy		cm, em		0.00
0.10	444.25 444.35	444.35 444.50	Shale, red Shale, dk gy		cm, em	+	0.00
0.25	444.50	444.75	Limestone, shaley, massive		cm, em ak, cs, es	<del> </del> √	0.00 0.25
0.70	444.75	445.45	Shale, dk gy, is nods		ak, cm, em	1-7-1	0.00
1.25	445.45	446.70	Limestone, shaley, nodular		ak, cs, es	1	1.25
5.40	446.70	452.10	Shale, dk gy, ls nods		ak, cm, em	$\mathbf{L}$	0.00
0.60	452.10	452.70	Claystone, red, Is nods		ak, cv, ev		0.00
4.35 0.60	452.70 457.05	457.05 457.65	Shale, dk gy, ls nods	ļ	ak, cm, em	$\perp$	0.00
0.90	457.65	458.55	Limestone, massive Shale, dk gy, ls nods	<del></del>	ak, cs, es	У	0.60
1.45	458.55	460.00	Limestone, massive	<del></del>	ak, cm, em ak, cs, es	<del>                                     </del>	0.00 1.45
1.35	460.00	461.35	Shale, dk gy, ls nods		ak, cm, em	+*+	0.00
1.75	461.35	463.10	Limestone, shaley, nodular		ak, cs, es	l v l	1.75
2.00	463.10	465.10	Shale, gy, Is nods		ak, cm, em		0.00
1.30	465.10	466.40	Limestone, shaley, layered		ak, cs, es	У	1.30
1.00	466.40 467.40	467.40 468.40	Shale, gy, is nods Limestone, shaley, nodular		ak, cm, em	<b>  </b>	0.00
0.55	468,40	468.95	Limestone, snaley, nodular	<del> </del>	ak, cs, es	Y.	1.00
0.35	468.95	469.30	Claystone, gm, Is nods	<del> </del>	ak, cs, es ak, cv, ev	Y	0.55
1.05	469.30	470.35	Limestone, massive	1	ak, cs, es	v	1.05
1.80	470.35	472.15	Shale, dk gy, is nods		ak, cm, em		0.00
0.95	472.15	473.10	Limestone, shaley, nodular		ak, cs, es	У	0.95
5,20 0.85	473.10 478.30	478.30 479.15	Shale, gy, is nods Claystone, gm, is nods		ak, cm, em		0.00
1.05	479.15	480.20	Shale, gy, ss stks		ak, cv, ev		0.00
4.30	480,20	484.50	Shale, dk gy, is nods	<del> </del>	cm, em ak, cm, em	$\vdash$	0.00
2.20	484.50	486.70	Limestone, massive	T	ak, cs, es	v	2.20
1.40	486.70	488.10	Shale, gm, Is nods		ak, cm, em		0.00
1.65	488.10	489.75	Shale, dk gy, Is nods		ak, cm, em		0.00
0.60 3.20	489.75 490,35	490.35 493.55	Limestone, shaley, nodular Shale, gy, Is nods		ak, cs, es	У	0.60
2.05	493.55	495.60	Limestone, shaley, nodular	·	ak, cm, em		0.00
3.60	495.60	499.20	Shale, dk gy, is nods		ak, cs, es ak, cm, em	<del>- Y   -</del>	0.00
2.65	499.20	501.85	Limestone, massive		ak, cs, es	γ	2.65
1.45	501.85	503.30	Shale, dk gy, is nods		ak, cm, em		0.00
0.50 3.15	503.30	503.80 506.95	Limestone, massive		ak, cs, es	y -	0.50
3.50	503.80 506.95	510.45	Shale, dk gy, Is nods Limestone, massive	<del></del>	ak, cm, em		0.00
0.50	510,45	510.95	Shale, dk gy, is nods	<del>                                     </del>	ak, cs, es ak, cm, em	<u> </u>	3.50 0.00
0.55	510.95	511.50	Limestone, massive	<del>                                     </del>	ak, cs, es	V	0.55
0.70	511.50	512.20	Shale, dk gy, ls nods		ak, cm, em	~	0.00
0.75	512.20	512.95	Limestone, shaley, nodular		ak, cs, es	У	0.75
2.95 6.00	512.95 515.90	515.90 521.90	Shale, dk gy, ls nods Limestone, nodular	ļ	ak, cm, em	$\bot$	0.00
0.60	521.90	522.50	Shale, dk gy			<u> </u>	6.00
1.40	522.50		Limestone, layered, cly stks	<del> </del>	cm, em ak, cs, es	<u>y</u>	1.40
1.25	523.90	525.15	Limestone, shaley, nodular			ý 🗆	1.25
1.10	525.15		Shale, gy, Is nods		ak, cm, em		0.00
1.40 0.65	526.25 527.65		Limestone, massive		ak, cs, es	У	1.40
0.25	527.65 528.30		Shale, grn, Is nods Shale, dk gy	<del> </del>	ak, cm, em	_	0.00
0.30	528.55		Shele, gm	<u> </u>	cm, em		0.00
1.25	528,85	530.10	Limestone, shaley, nodular			у	1.25
3.60	530.10		Shale, gy, Is nods		ak, cm, em		0.00
4.85	533.70	538.55	Limestone, massive			Υ	4.85

Œ

CLC-2002-20\_Permit.ids

ATTACHMENT 13

## DIAMOND DRILL HOLE: CLC-2002-20

Thickness	Depth From	То	<b>.</b>	Water	Physical		Thickness of Hard Rock
(ft.)	(ft.)	(ft.)	Strata	Bearing	Properties	HR	
3.95	538.55	542.50	Limestone, shaley, nodular		ak, cs, es	Y	3.95
1,00 2,45	542.50 543.50	543.50 545.95	Shale, grn, is nods Shale, dk gy, is nods	<del></del>	ak, cm, em		0.00
0.35	545.95	546.30	Limestone, shaley, nodular		ak, cm, em ak, cs, es	l <sub>v</sub>	0.00 0.35
0.35	546.30	546.65	Shale, dk gy, is nods	-	ak, cs, es	+*-	0.00
1.00	546.65	547.65	Shale, dk gy		cm, em	1	0.00
0.45	547.65	548.10	Shale, blk, coal stks		ac, cm, em	T	0.00
0.68	548.10	548.78	Coal, bone stks, SEWICKLEY No. 9		ac, cv, ev		0.00
0,62	548.78	549.40	Bone, coal stks		ac, cv, ev		0.00
0.25	549.40	549.65	Shale, blk, coal stks		ac, cm, em		0.00
0.40	549.65	550.05	Shale, dk gy		cm, em		0.00
1.95	550.05	552.00	Shale, dk gy, is nods		ak, cm, em	$\perp$	0.00
3.65	552.00	555.65	Shale, gy, Is nods		ak, cm, em	1_1	0.00
1.60	555.65	557.25	Shale, gy, ss stks, is nods		ak, cm, em	₩	0.00
2.70	557.25	559.95 561.10	Sandstone, gy, sh stks		cs, es		2.70
1.15	559.95 564.40	566.20	Shale, gy, sandy		cm, em	+	0.00
5,10 5,35	561.10 566.20	571.55	Shale, gy, ss stks Sandstone, gy, crossbeds		cm, em	<del>  </del>	0.00
7.95	571.55	579.50	Sandstone, gy, crossbeds	<del></del>	CS, es	<del>γ</del>	5.35 7.95
2.55	579.50	582.05	Sandstone, gy, sn sus Sandstone, gy, crossbeds, chumed	<del></del>	CS, es	<del>ly  </del>	2.55
0.90	582.05	582.95	Claystone, dk gy	+	cv, ev	<del> '</del> -	0.00
0.10	582.95	583.05	Shale, blk, coal stks	<del></del>	ac, cm, em	╁	0.00
0.18	583.05	583.23	Coal, bone stks, FISHPOT		ac, cv, ev	1-1	0.00
0.07	583.23	583.30	Shale, blk		ac, cm, em	1-1	0.00
0.38	583.30	583.68	Coal, bone stks		ac, cv, ev		0.00
0.26	583.68	583.94	Coal, sh layers	1	ac, cv, ev		0.00
0.19	583.94	584.13	Coal, bone stks		ac, cv, ev		0.00
0.28	584.13	584.41	Shale, bik		ac, cm, em		0.00
0.06	584.41	584.47	Shale, blk, coal stks		ac, cm, em		0.00
0.55	584.47	585.02	Coal, bone stks		ac, cv, ev		0.00
0.58	585.02	585.60	Claystone, dk gy		cv, ev		0.00
1.45	585.60	587.05	Limestone, massive		ak, cs, es	Y.	1.45
1.10	587.05	588.15	Limestone, cly stks		ak, cs, es	У	1.10
0.45	588.15	588.60	Shale, dk gy, ls nods		ak, cm, em	$\perp$	0,00
0.60	588.60	589.20	Limestone, massive		ak, cs, es	У	0.60
0.55	589.20	589.75 590.60	Limestone, mosaic		ak, cs, es	У.	0.55
0.85 0.70	589.75 590.60	591.30	Limestone, massive Limestone, layered	<del></del>	ak, cs, es	<u>Y</u>	0.85
0.15	591.30	591.45	Shale, dk gy, ls nods		ak, cs, es ak, cm, em	У .	0.70
1.00	591.45	592.45	Limestone, nodular	+	ak, cs, es	v l	1.00
1.25	592.45	593,70	Limestone, massive	<del>                                     </del>	ak, cs, es	<del>.</del> -	1.25
0.50	593.70	594.20	Shale, dk gy, Is nods	·	ak, cm, em	<del>'</del>	0.00
1.00	594.20	595.20	Limestone, massive		ak, cs, es	v l	1.00
3.30	595.20	598.50	Limestone, shaley, nodular		ak, cs, es	v	3,30
2.10	598.50	600.60	Limestone, massive			y	2.10
0.10	600.60	600.70	Shale, dk gy, is nods		ak, cm, em		0.00
2.15	600.70	602.85	Limestone, shaley, nodular		ak, cs, es	y	2.15
3.95	602.85	606.80	Claystone, grn, Is nods		ak, cv, ev		0.00
5,85	606.80	612.65	Shale, gy, Is nods		ak, cm, em		0.00
2.40	612.65	615.05	Shale, dk gy, is nods		ak, cm, em		0.00
3.05	615.05	618.10 618.35	Limestone, massive	<del>- </del>	ak, cs, es	<u> </u>	3.05
0.25 0.35	618.10 618.35	618.70	Shale, dk gy, ls nods Limestone, massive		ak, cm, em		0.00
0.50	618.70	619.20	Shale, dk gy, is nods	1	ak, cs, es ak, cm, em	<u> </u>	0.35
2.35	619.20	621.55	Limestone, shaley, nodular	<del> </del>		<del>,  </del>	2.35
0.50	621.55	622.05	Claystone, gm, Is nods	<del> </del>	ak, cs, es	┶	0.00
1.00	622.05	623.05	Claystone, gy, Is nods	†i	ak, cv, ev		0.00
1.65	623.05	624.70	Claystone, gm, Is nods		ak, cv, ev	$\neg$	0.00
0.25	624.70	624.95	Shale, blk, coal stks		ac, cm, em		0.00
0.15	624.95	625.10	Shale, blk		ac, cm, em		0.00
1.50	625.10	626.60	Shale, gy, sandy, is nods		ak, cm, em		0.00
1.00	626.60	627.60	Shale, dk gy, is nods		ak, cm, em	$\bot$	0.00
0.85	627.60	628.45	Limestone, shaley, nodular	<b> </b>	ak, cs, es	/	0.85
0.85	628.45	629.30	Claystone, dk gy, is nods	<del> </del>	ak, cv, ev	_	0.00
0.35 0.35	629.30 629.65	629.65 630.00	Limestone, shaley, nodular Shale, dk gy, ls nods	<del> </del>	ak, cs, es	<del>'  -</del>	0.35
6,05	630.00	636.05	Limestone, massive	<del>                                     </del>	ak, cm, em ak, cs, es	,	0.00 6.05
1.25	636.05	637.30	Shale, dk gy, Is nods	<del>                                     </del>	ak, cm, em	┶	0.00
1.2.0							0.00

CLC-2002-20\_Permit.xls

#### **ATTACHMENT 13**

#### DIAMOND DRILL HOLE: CLC-2002-20

Thickness	Depth From	То		Water	Physicai		Thickness of Hard Rock
(ft.)	(ft.)	(ft.)	Strata	Bearing	Properties	HR	
0.45	637.30	637.75	Limestone, massive	Dealwig	ak, cs, es	<del>IV</del>	0.45
3.30	637.75	641.05	Claystone, dk gy, ls nods		ak, cv, ev	<del>  </del> -	0.00
0.45	641.05	641.50	Limestone, shaley, nodular		ak, cs, es	<del>l. I</del>	0.45
4.25	641.50	645.75	Claystone, gy, Is nods		ak, cv, ev	<del> '  </del>	0.00
1.35	645.75	647.10	Claystone, blk/ tan, layered		ac, cv, ev	1 1	0.00
0.10	647.10	647.20	Shale, blk		ac, cm, em	+	0.00
0.25	647.20	647.45	Claystone, dk gy		CV, eV	$\vdash$	0.00
0.33	647.45	647.78	Coal, pyrite, PITTSBURGH No. 8 ROOF COAL	•	ac, cv, ev	$\vdash$	0.00
0.65	647.78	648.43	Coal, bone stks	i	ac, cv, ev	$\Box$	0.00
0.02	648.43	648.45	Shale, dk gy		cm, em		0.00
0.14	648.45	648.59	Coal, bone stks		ac, cv, ev		0.00
0.73	648.59	649.32	Claystone, gy		CV, aV		0.00
0.15	649.32	649,47	Shale, blk		ac, cm, em	$\Box$	0.00
0.45	649.47	649.92	Bone, coal layers, PITTSBURGH No. 8		ac, cv, ev	$\Box$	0.00
0.59	649.92	650.51	Coal, bone stks		ac, cv, ev		0.00
0.96	650.51	651.47	Coal		ac, cv, ev		0.00
0.05	651.47	651.52	Shale, bik		ac, cm, em		0,00
0.41	651.52	651.93	Coal		ac, cv, ev		0.00
0.15	651.93	652.08	Bone		ac, cv, ev	П	0.00
1.49	652.08	653.57	Coal		ac, cv, ev	П	0.00
0.03	653.57	653.60	Shale, blk		ac, cm, em		0.00
1.22	653.60	654.82	Coal		ac, cv, ev		0.00
0.05	654.82	654.87	Shale, blk		ac, cm, em		0.00
1.95	654.87	656.82	Claystone, dk gy		CV, 6V		0.00
4.20	656,82	661.02	Claystone, dk gy, ls nods		ak, cv, ev		0.00
2.80	661.02	663.82	Shale, gy, sandy, is nods		ak, cm, em		0.00
0.85	663.82	664.67	Shale, gy, ss stks, is nods		ak, cm, em		0.00
2.40	664.67	667.07	Shale, gy, sandy, is nods		ak, cm, em		0.00
1.30	667.07	668.37	Shale, gy, ss stks		cm, em		0.00
•	Total Depth	668.37					138,67

Acid Producing: ac Alkaline Producing: ak Compactible: c (v-very, m-moderate, s-slight) Erodible: e (v-very, m-moderate, s-slight)

Total Thickness of Hard Rock Overlying Mining Unit

138.67

Thickness and Percentage of Hard and Soft Rock Overlying Mining Unit

24%

	Thickness	Percent
	(Ft.)	(%)
Hard Rock:	138.67	24%
Soft Rock:	432.88	76%
-	571.55	-

### ACID/BASE ACCOUNTING for Mining Pittsburgh No. 8 Coalbed

Stratum	Neutralization Potential, tons/1000 tons as CaCO3	Total Sulphur %	Pyritic Sulphur %	Acidity, tons /1000 tons as CaCO <sub>3</sub> (Total Sul.)	CaCO3 Deficiency, tons/1000 tons as CaCO <sub>3</sub> (Total Sul.)
Roof, 10 ft. Coal	174.24	2.31	1.77	72.37	-101.75
Bottom, 10 ft.	106.70	2,65	2.52	82.80	-24.00

CLC-2002-20\_Permit.xls

11

(C)

Performance Sec	Performance Security Data Input Section
App #/Permit Number:	American Energy Corporation D-425
#nWi	
Date:	03/24/10
Permit Acreages	Impoundments/Wetlands
Total Area for this Estimate. 327.6 (acres) ————————————————————————————————————	Total number of pond impoundments: (#) (#) (permanent and temporary from "POMD Sheet")
Permanent Primary Roads Area: (acres) Affected Area Reveg. Not Required (Pre-Phase III) (acres)	Total of pond impoundment volumes: (Sediment Storage Volume from Pond/Imoundment Plan)
Area Proposed Not To Be Affected Maximum Area of Prime Farmland Proposed (acres) to be affected within the MOA	Area of wetlands within the permit limits to be affected:
Maximum Pit Dimensions	Utilities
Only enter values for pits that will be open and part of this estimate. Pit Number Max length (ft) Max depth (ft) Type' WY (ft)	Length of any active utility line (gas, water, etc.)  T320 (feet) to be affected:
7 % 4	Number of active oil or gas wells in mining area: (Mining area is area in coel removal and auger or highwall miner area)
	Phase Releases/Maintenance
7	IF Phase I PS Release enter a 1 here:
0 0 0	(entire permit only) IF PHASE II PS Release enter a 1 here:
11	(entire permit only) Number of acres with Phase III Release
12.	(From "Phase III Releases" Sheel)
Max unreclaimed length of augered highwall (Feet)	Outstained MidWil EVEILS
Channel Construction/Rock Required	Substantial Known Event #1 \$8,750 Lump Sum direct cost to mitigate Supply Detailed Estimate
Total of rock larger than D50 of 18-inches:	
Total of rock between D50 of 18 to 6-inches:	Substantial Known Event #3 Lump Sum direct cost to mitgate Supply Detailed Estimate
Total of rock smaller than D50 of 6-inches: (CYD)	Prep Plant Additional Estimates
Total length of Grass Lined Channels & 11505 (Feet)	Over riding Hazardous Waste Remediation value:  ### None present, enter \$1  Over riding Asbestos Remediation value:    Fetimate \$
Resoiling Parameters	
9	Over riding Lead Remediation value:  If none present, enter \$1  Nearest EPA approved Haz. Waste receiving facility:  miles
That are of resoluting with cose on site materials (Condition 1):  ("dose" is less than 500 th  ("dose"	To be filled out by ODNRDIMRIM only:
(been about about about	Estimate Amount: \$9,536,000
Average dipth of PRIME FARMLAND resoling material needed 48 (inches)  Enter area of resoling for PRIME FARMLAND (Condition 1): 788 (acres)	Approved By Initials.
	Date: 3/24/2010
Spreadsheal Revised 633/2008 OPERATOR	6 - 2 2 7 0 - 2 2 1
	) I

	Company:		American Energy Corporation	
	Application #/Permit #: IMU#		D-425	
	Date		03/24/10	
<u> </u>	Permit Actions	Acreage Added or Subtracted 1	Permit Actions	'Acreage Added or Subtracte to IMU'
	Original Application Area	45.8		
4	<b>AAA-1</b>	154,4		
[1]	BR-1	12.0		
ii ii	BR-2	13.4		
<u> </u>	BR-3	10.1		
Į.	BR-4	5,7		
i i	BR-5	5.1		
ū	BR-6	17.2		
ı	BR-7	13.0		
Ī	BR-8	3.1		
ī	BR-9	1.7		
rea	BR-10	23.9		
REVISIONS (ARP,Transfer,Renewal,IBR, Adjacent Area)	BR-11	7.1		
jace	BR-12	0.3		
Ž I	BR-13	. 0.2		
	BR-14	0.9		,
ewa =	BR-15	7.4		
Ren	BR-17	1.8		
sfer.	BR-18	0.5		
Ę	BR-19	4.0		
8				
° [				
Š [				
		′		
<u>~</u> [				
-				
ı	· · · · · · · · · · · · · · · · · · ·			
ı				
f				
f				
Ī	****			
	Sub Total Acreage	327.6	Sub Total Acrea	ge 0.0
	ansfer, or Renewal, enter 0		•	e: 327.6

	Compan	y:	American Energy Corp D-425	oration	
	Application #/Permit IMI Dat	#: J#			
	Dat	e:	- 03/24/10		
	Date	Acres Released	Date	Acres Released	
					-
			_		
			·		
			_		
ŝ					
PHASE III RELEASES					
REL					
<b>=</b>					
IASI			-		
左			-		
1			<b></b>		
			<u> </u>		
			1		
	L				
	Sub Total Acreage	0.0	Sub Total Acreage	0.0	

The control of the	l lannanananan lll	Company #Premit Number	for any embankn Bottom Length B (!!)	Americ	an Energy Corpor D-425	ation				
Accession of the party   Accession of the pa		Company  #Pennik Number  Bis for entering Date  Too With	for any embankn Bottom Length B(ft)	Americ	an Energy Corpor D-425	ation				
Navigable   10   Professor   10   Prof	[	Is for entering data.  To with the part of	for any embankn Bottom Length B (ft)							
Market   19 Wild   20   10   10   10   10   10   10   10	- Innanananana	abweel (19)	Bottom Length B (ft)	acitor franchistor	03/24/10			and the second		
				U/S Glope	D/3 Stope	Ri Abut. Sione	Left Abul. Slope	Available for	Overriding	Volume
Survive Coars   Survive Coar				Vane II.	Value At 1V	Value H. 1V	Value H. 1V	Cap Marenary	EBUILMON	010
Sinty/Reliase Input Section   Sinty/Reliase Input Section   Titles work/bless for the celebrate Input Section   Titles the celebrate									15,100	0 0
Simple Coate   Size										0
Sintry/Reliase Input Section										
Stury/Reduse   Productive   P										
Stury or Cases   Section   Stury (Refuse Input Section   This workship of Process   Section   Stury (Refuse Input Section   This workship of Process   Section   Stury or Cases   Section   This workship of Process   Section   Section   Stury or Cases   Section   Section   Section   Section   This workship of Process   Section   Secti										
Situry, Red use   Control   Contro										0
Stury/Refuse   Input Section   Stury/Refuse   Input Section   It is writisheet is for entering date for addressing any possible stury/coal refuse   Input Section   It is writisheet is for entering date for addressing any possible stury/coal refuse   Input Section   It is writisheet is for entering date for addressing any possible stury/coal refuse   Input Section   It is writisheet is for entering date for addressing any possible stury/coal refuse   Input Section   It is writisheet is for entering date for addressing any possible stury/coal refuse   Input Section   It is writisheet is for entering date   It is writisheet is for entering date   It is writisheet   It is writisheet is for entering date   It is writisheet   It										0
Stury/Refuse input Section   Stury/Refuse   Stu										0
Siurry/Refuse Input Section   Tidal Miccellanous Enthwork Crop   Siurry/Refuse Input Section   Tidal Miccellanous Enthwork Crop   Siurry/Refuse Input Section   Tidal Miccellanous Enthwork Crop   Siurry Refuse   Input Section   Tidal Miccellanous Enthwork Crop   Siurry Refuse   Input Section   Tidal Miccellanous Enthwork Crop   Siurry Refuse   Input Section   Input Section   Siurry Refuse   Input Section   Inp										-
Surry/Refuse Input Section										,
Siurry/Refuse Input Section   Ties worksheet is for entering dialor addressing any possible slury/crail refuse recisionality.   Siurry/Refuse Input Section   Ties worksheet is for entering dialor addressing any possible slury/crail refuse recisionality.   Siurry/Refuse Input Section   Ties worksheet is for entering dialor addressing any possible slury/crail refuse recisionality.   Since   Signature   Company   Section   Sectin   Section   Section   Section   Section   Section   Section   S										0
Control   Cont										0
Trial Microllineous Enthwork CTO										0
This worksheet is for entering date for addutessing any prossible stury/oral refuse reclamation.    This worksheet is for entering date for addutessing any prossible stury/oral refuse reclamation.   Service Coars Sharped   Coars										c
This worksheet is for entering data for addressing any prossible stury/creal reclamation.    This worksheet is for entering data for addressing any prossible stury/creal reclamation.   Proceedings   Proceedings   Proceedings   Proceded   Proceded   Proceedings   Proceded										,
This wurksheet is for entering data for additionship any possible stury/real refuse rectain glave of the construction of the							Total Miscellaned	us Earthwork CYD		15,100
This worksheet is for entering data for additionable stury/crail refuse rectain factor coars and coars. Survivor has been been been been coars. Survivor has been coars.			·w	lurry/Refuse	Input Section					
Shury or Coarse   Sartico Area   Using 2 it   Reaching Majerial   Casy Malerial   Casy Maler		This worksheet is	for entering data	a for addressing a	any possible stur	ry/coal refuse re	clamation.			
C   SA37040   0   422,373   432,37		Surface Area to cover (SQ FT)		Resoling Material Depth		* Including topso	797			
18   18   18   18   18   18   18   18		_	0	432,373	432,373					
Cool										
14   15   15   15   15   15   15   15				- I	•					
1   1   1   1   1   1   1   1   1   1				٥	0					
10   10   10   10   10   10   10   10				0	0					
1,23,370										
14   15   15   15   15   15   15   15				0	ø					
Class   Construction   Constructio	Totals	5,837,040	0	432,373	432,373					
COS		Cost accounted for a	afready on "Results	Sheel						
100   100	1,1,1	CYDS								
788.377 (b) \$3.50 per CYD  128.370 (c) \$1.50 per CYD  4.020 (c) \$55.00 per lon  154.40 (c) \$1.52.60 per Area  154.40 (c) \$1.52		CYDS CYDS fons per sore of film	suo) 06 paumse) e	per sore if Nank)						
123.370 @ 51.590 per CYD  4.020 @ 51.532 00 per Ion  151.40 @ 51.532 00 per Ade  Isomalion   Total SturyRoluse Reclamation Ceet  Total Amount for this Estimate:	736,377		CVD				\$2,577,318			
151.40 (R) \$153.20 per lon 154.40 (R) \$153.20 per Acre 154.40 (R) \$153.20 per Acre 155.40 (R) \$153.20 per Acre 155.20 per Acr 155.20 per Acre	128,370	\$1.50	cyp				\$182,565			
151.40 @ \$15320 per control of the second of	000 \$	6.36.00					200,000			
153.40 @ \$1532.00 per Acre Sicannilon   Lump Sum, Provice detailed cost Total Stury/Rotuse Recitemation Cost   Total Stury/Rotuse Recitemation Cost	020*		uo:				\$140,700			
Lump Sum. Provide detailed cost Total Sturry/Rotrae Reclamation Cost Total Amount for this Estimate.	154.40		Acre				\$236,541			
	Additional Cost for Surry/Refuse Relcamation	Lump Sum. Provide	detailed cost				03			
				Tota	Slurry/Refuse Re	clamation Cost	\$3,147,114			
					Total Amount fo	or this Estimete:	\$9,536,000			

	Print   Stratus   Print   Stratus   Print   Stratus	
	1997   1997	Total Amount for this Estimate:
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	The control is control in the contro	
	To the district of the distric	
<u>.</u>	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7	
Prep. Plant and Support Structures Input Sheet	11 73 to 231 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	
monte mode	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.	
lant and Sug	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
rep. P	Order (case)  100.00	
	March   Color   Colo	
	(1,45,40) (1,125,50) (2,50,50) (2,50,50) (3,50,50) (4,50	
	Telegram	
	174   174   Demotron (F)   174     100   Demotron (F)   174     100   Demotron (F)   175     100   Demotron (F)     100   Demotr	nergara.
	## 100 Process	
	Survivo 196  10170 Con 100  10170 Co	
	Common   C	Dates
,		

Company:				ergy Corporation	n	
App:#/Permit Number:				0-425		,
IMU#:						
Date:				3/24/10		
	Pond	Volume	Enter "X" if		Count	
L			removed	Impoundment	Volume	إ
Ĺ	8C	0.9		1	0.9	]
	8B	1.71		1 1	1.71	
<u>"</u> _	8A	1.66		1	1.66	
: <b>-</b>	11	- 6		1	6	_
1	2	0.5		1	0.5	1
	12	2.77		1	2.77	
4	13	11.31		1	11.31	
1	14	13.44		1	13.44	
1	15	2.44	ļ	1	2.44	4
ļ.	16 IBR-2	N/A	X	0	0	4
<u>:</u>  -		0.75		1	0.75	4
.}-	1-s 19	18.71	-	11	18.71	4
·}-	20	0.83	<del>                                     </del>	1	0.83	4
-	IBR-6	2.5 1.1	<del>                                     </del>	1	2.5	1
ŀ	18	1.23		1 1	1.1	1
F	18A	2.62	<del> </del>	1	1.23 2.62	-
	IBR-8	0.24	<del> </del>	1	0.24	1
	1BR-9	1.4	·	1	1.4	1
T-	23	2.2	-	1	2.2	1 .
· -	24	4.3	<del></del>	1	4.3	1
	25	1.4		1	1.4	
·	IBR-10	0.3		<del></del>	0.3	<del> </del>
-1-	IBR-11	1.8		-1	1.8	
T-	IBR-11	0.6		1 1	0.6	1
	1	3.161		1	3.161	
T T						l. '
<u> </u>		****				
						i t
.[					1 1	
						•
·						
L						
L						
<u> </u>						
L						
<u>_</u>						
<u>L</u>			ļ			
L						
L						
			Sum	25	83.871	

Company:			Ā	American Energy Corporation	y Corpor	ation	
App #/Permit Number:				D-425	25		
Date:				03/24/10	/10		
Mobilization/Damab // cases of 50/ a= \$401/	Quantity	Units		Unit Cost		Line Item Amounts	٠, ١٠,
TODIII ZAUGII DELI (LESSEI DI 37% OI \$40K)						940,000	-
Clearing and Grubbing / Final Grading	49.1	Acre		\$2,270.00	11	\$111,548	
mpoundment Dewatering	27,333,000	Gallons	×	\$0.0050	<del>دی</del> اا	\$136,665	Phase II Dependent
Nater Treatment (30% of Dewatering)	8,199,900	Gallons	×	\$0.0060	11	\$49,199	Phase II Dependent
Pit Earthwork	0	CYD	×	\$1.50		\$0	Drops out at Phase 1
Net Demolition Cost					= \$1	\$1,964,003	From "Prep Plant Data" Sheet
Misc. Earthwork/ Haulroads	15,100	СУБ	×	\$1.50		\$22,650	
Slurry Pond Reclamation					= \$3	\$3,147,114	From "Earthwork & Refuse" Sheet
Small Pond Embankments and Pond Areas	25	Each	×	\$5,000.00	=	\$125,000	
Rock larger than Type B	0	Tons	×	\$32.50	11	<b>\$</b> 0	From offsite only, Drops out at Phase II
Rock between Type B to Type D	2,555	Tons	×	\$32.50	11	\$83,027	From offsite only, Drops out at Phase II
Smaller than Type D RCP	22,908	Tons	×	\$23.00		\$526,884	Drops out at Phase II
Grass Lined Channels/Stone Centered Waterways	11505	LF	×	\$5.00		\$57,525	Drops out at Phase II
Standard Revegetation	173.2	Acre	×	\$1,456.00	. II	252,179	At Phase II Release, automatically drops
Maintenance	173.2	Acre		\$300.00	11	\$51,960	
Resoiling (Condition 1)	170642	CYD	×	\$1.50	= \$	\$255,963	At Phase II Release, automatically drops
Resoiling (Condition 2)	242	CYD	×	\$2.74	п	\$663	At Phase II Release, automatically drops
Off-Site Resoiling Material and Placement	20328	СУБ	×	\$3.50	) 	\$71,148	At Phase II Release, automatically drops
Sealing Auger Holes	0	<b>.</b> 1	×	\$5.00	li .	\$0	Phase I dependent, Drops out
Utility line relocation	7320	LF	×	\$8.00	3) H	\$58,560	
Oil or gas well plugging/resetting	0	Each	×	\$25,000.00	н	\$0	
Wetland Mitigation	0.0	Acre	×	\$20,000.00	11	\$0	
Substantial Known Event #1	-	Lump Sum	×	\$8,750.00	Ε.	\$8,750	
Substantial Known Event #2	. 1	Lump Sum	×	\$0.00	н	\$0	
Substantial Known Event #3		Lump Sum	×	\$0.00	11	\$0	
Means Contingencies	20	%			=	\$1,384,568	
OEPA - NPDES (5% of base minus demolition)					11	\$247,942	
ODNR - DMRM Admin costs (15% of base w/o demo	- 10% of demolition	olition)			=	\$940,226	
Base amount					\$€	\$6,922,839	

Cost to Seal Air Shaft
Sealed Air Shaft 15 ft dia.(16" thick) with steel reinforcing, construction cost about a \$1250.
Fan (13' x 13' x 13') demolishion cost of \$500
5 Shaft sites
Total Air Shaft Reclaimation Costs \$8750

Previous PSE (3/1/2010)

\$12,692,000 Updated PSE (3/24/2010) \$9,536,000

Updated on (3/24/2010)

Removed the 134 acre(48")resoiling depth, because it has allready been accounted for with the Coarse Refuse estimate sheet. Added IBRs 13, 14, 17, 18 and 19 acreage.

Added haul road and emankment earthwork.

# Addendum to I.B.R., Item 30 American Energy Corporation

Chief
ODNR, Division of Mineral Resources Management
2045 Morse Road, Bldg. H-2
Columbus, Ohio 43229-6693

Re: IBR-425-19, Small Area Drainage Exemption

#### Dear Chief:

American Energy Corporation is requesting a Small Area Drainage Exemption for the area within the proposed I.B.R. limits.

As indicated on the I.B.R. map in the Notes section, the S.A.D.E. will cover all four acres of the I.B.R. The S.A.D.E. is being requested to cover the graded fill necessary to create a storage area for excess spoils, a level area for topsoil storage, a construction sump, and a pad for shaft and substation installation sites. Prior to disturbance, silt fence will be placed at the toe of the fill along the boundary of the grading to control runoff. Once the area is to grade the silt fence will also be placed along the middle of the slope, and along the top crest of the fill to control runoff. Two diversion ditches flowing into sumps will also be constructed as an additional effort to control runoff from the pad and topsoil storage areas. All silt fences will be maintained until vegetative cover has been established on the embankment face. Grading operation will then be undertaken to create the fill and level area.

Immediately after construction, the S.A.D.E. area will be seeded and mulched. All runoff will meet effluent limitations

Silt fence will be replaced/reinstalled along the toe of the slopes prior to reclamation operations.

Sincerely,

Ryan Burns

Environmental Engineer

approved **K** 

DATE SIGN

SIGNED

TP/AY 1 0 2010



# Ohio Department of Natural Resources

TED STRICKLAND, GOVERNOR

SEAN D. LOGAN, DIRECTOR

John F. Husted, Chief Division of Mineral Resources Management 2045 Morse Road, Bldg. H-3 Columbus, OH 43229-6693 Phone: (614) 265-6633 Fax: (614) 265-7998

May 13, 2010

American Energy Corporation 3521 Mayhugh Hill Road Beallsville, OH 43716

Re:

Historic and Prehistoric Properties Clearance

Permit D-0425-19 Incidental Boundary Revision (IBR) D-425-19 4-Acres

Dear Applicant:

Your proposed 4-acre IBR has been given a historic and prehistoric properties clearance by the Division of Mineral Resources Management. This clearance is based on the following reasons:

An on-site review of this IBR was performed by me. The area consists of west facing slope ranging from 5% - 30% absent of rock outcrops or foundations. Twelve soil probes were performed with an average "A" soil depth of 3 inches. Closer to the road the topsoil horizon was admixed with the "B" clay strata. The purpose of this IBR is to construct a ventilation air shaft for the underground permit. No historic properties exist within or adjacent o this IBR.

Therefore no further coordination on historic and prehistoric properties with the Division will be necessary for this application unless the project size increases or additional information is received by the Division on the presence of historic or prehistoric properties in it.

If you have any questions regarding this matter, please contact me at (614) 265-6633.

Sincerely,

Jeffrey C. Reichwein, Ph.D.

Archeologist

JCR/my

c: Ohio Historic Preservation Office

Ginger Bennett, Application Manager - Cambridge

John Puterbaugh, Inspector - Cambridge

Permit File

Archaeologist File

ohiodnr.com





# Ohio Department of Natural Resources

TED STRICKLAND, GOVERNOR

SEAN D. LOGAN, DIRECTOR

**Division of Mineral Resources Management** Permitting Section John F. Husted, Chief 2050 East Wheeling Avenue Cambridge, Ohio 43725

May 19, 2010

American Energy Corporation 43521 Mayhugh Hill Rd. Beallsville, Ohio 43716

RE: Application Number: IBR-425-19

To Whom It May Concern:

The Division of Mineral Resources Management has approved application number IBR-425-19. Pursuant to ORC 1513.08 (C), the Division has evaluated your proposed mining plan and has calculated an engineer's estimate of the cost of reclamation for the entire permit area to include IBR-425-19 at \$9,536,000. IBR-425-18 has also been included in this estimate but is pending approval. This estimate does not account for subsidence-related damage, water replacement, acidmine drainage requiring long-term treatment, or subsequent permitting actions that may occur after the issuance of the permit. The estimate will be evaluated periodically by the Division to ascertain its accuracy.

Note that performance security can only be provided using one of the two methods (pool or full cost) on any permit. In addition, once full cost performance security has been posted on a permit and coal has been produced, the full cost security cannot be replaced using the performance security pool option.

Upon notification of the Performance Security (PS) method to be utilized, the Division will invoice the applicant for the required PS to allow for issuance of a permit for the application area. Please indicate your election on the enclosed form DNR-744-9078 and return the form to the application manager at the Division of Mineral Resources Management, 2050 East Wheeling Avenue, Cambridge, Ohio 43725.

If you have any questions, please call me at (740) 439-9079.

Sincerely

Ginger A. Bennett, Application Manager

**Environmental Specialist** 

Enclosures: Engineer's estimate

Form DNR-744-9078, Notification of Election of Performance Security

E-Signature Confirmation Number:

objednr.com

Æ

